INDEX TO VOLUME 37, 1978

P.=Proceedings of the Heberden Society

- Abortions, repeated, in systemic lupus erythematosus and thrombocytopenia: case report, 476
- ABUKNESHA, R., see ANDREWS, B. A. et al.
- Adjuvant arthritis, development, cyclic AMP and prostaglandin E in perfusates of rat hind paws during, 218
- failure of regular exercise by swimming to influence, rat: correspondence, 104
- gastrin and gastric secretion, relationship between, rats, 432
- —induced arthritis syndrome theophylline and PGE₁ as inhibitors, rats, 212
- ADOLFS, M. J. P., see PARNHAM, M. J. et al.
- AGENANT, D., see DEKKER-SAEYS, B. J. et al. MEUWISSEN, S. G. M. et al.
- Airways obstruction, and rheumatoid arthritis, 574, P.
- AL-RAWI, Z. S., ALAZZAWI, A. J., ALAJILI, F. M., and ALWAKIL, R.: Rheumatoid arthritis in population samples in Iraq, 73
- AL-TIMIMI, D., see SCUDDER, P. R., et al.
- ALAJILI, F. M., see AL-RAWI, Z. S. et al.
- ALAZZAWI, A. J., see AL-RAWI, Z. S. et al.
- Albumin, synovial fluid, in rheumatoid and osteoarthritis,
- Alclofenac and D-penicillamine, in rheumatoid arthritis, comparative trial, 93
- Alessandro Robecchi International Prize, III, 396
- Alkaline phosphatase activity in rheumatoid synovial tissue, effect of zinc on, 552
- ALLAM, B. F., see KENNEDY, A. C. et al.
- Allografts, chondrocyte, isolated epiphyseal, into joint surfaces, 449, 486, P.
- ALSPAUGH, M. A., BUCHANAN, W. W., and WHALEY, K.:
 Precipitating antibodies to cellular antigens in
 Sjögren's syndrome, rheumatoid arthritis, and
 other organ and nonorgan-specific autoimmune
 diseases, 244
- ALTMAN, D. A., see KIRWAN, J. R. et al.
- Alveolitis, fibrosing, see Fibrosing alveolitis
- ALWAKIL, R., see AL-RAWI, Z. S. et al.
- AMOR, B., see GAUDREAU, A. et al.
- Amputees, lower limb, bone and joint changes, 252
- Analgesics, non-steroidal anti-flammatory, assessment of clinical effect in RA, 576, P.
- Anderson, J. A., see Downie, W. W. et al.
 - KENNEDY, A. C. et al.

- ANDERSON, M., see THOMPSON, M. et al.
- Andrews, B. A., Welsh, C. J., Abuknesha, R., Ebringer, A., and Ebringer, R.: Crossreactivity between vitreous humour, Klebsiella/Enterobacter microorganisms and human lymphocytes: a possible mechanism for uveitis and ankylosing spondylitis, 569, P.
- Ankle, articular cartilage contact areas, 482, P.
- Ansell, B. M.: Chronic arthritis in childhood: Heberden Oration, 1977, 107
- MAJOR, G., LIYANAGE, S. P., GUMPEL, J. M., SEIFERT, M. H., MATHEWS, J. A., and ENGLER, C.: A comparative study of Budacote and Naprosyn in ankylosing spondylitis, 436
- see also D'ARCY, K. et al. SEWELL, J. R. et al.
- Antibodies, collagen, in RA, 573, P.
- precipitating, to cellular antigens in Sjögren's syndrome, rheumatoid arthritis and other autoimmune diseases, 244
- production during long-term salmon calcitonin therapy, assessment of functional effectiveness, 484 P.
- ---- to soluble extractable nuclear antigens, clinical significance, 321
- trophoblast-reactive lymphocytotoxic, associated with spontaneous abortion in SLE, 285, P.
- Antigammaglobulin (rheumatoid factor) activity of human IgG subclasses, 12
- Antigens, salivary and bile, immune responses to, in rheumatoid arthritis and Sjögren's syndrome, 287, P.
- Antinuclear factor as prognostic indicator for penicillamine treatment in RA, 291, P.
- Antioxidant activity, serum, in rheumatoid arthritis, 67 α₁-Antitrypsin phenotypes in rheumatoid arthritis and fibrosing alveolitis, 285, *P*.
- Ankylosing spondylitis, acute phase reactants, 569, P.
- association with Klebsiella pneumoniae: correspondence, 298
- Butacote and Naprosyn in, comparative study, 436
- detection of immune complexes, 159
 diminished mixed lymphocyte response, 293
- P. ____ genetics, and HLA B27, 504

Ankylosing spondylitis, and inflammatory bowel disease, I. Prevalence of inflammatory bowel disease in patients suffering from ankylosing spondylitis, 30, II. Prevalence of peripheral arthritis, sacroiliitis and ankylosing spondylitis in patients suffering from inflammatory bowel disease, 33, III. Clinical characteristics and results of histocompatibility typing (HLA B27) in 50 patients with both ankylosing spondylitis and inflammatory bowel disease, 36 naproxen, double-blind trial, 85 neck movements, response to physiotherapy, neutrophil chemotaxis, 9 phenylbutazone, double-blind trial, 85 presenting as PUO, 294, P. sequential studies, association of Klebsiella pneumoniae with active disease, 146, correspondence, 298, 577, 484, P. and spondylodiscitis: HLA typing and nosological implications, 510 and uveitis, and vitreous humour, human lymphocytes and Klebsiella/Enterbacter microorganisms, crossreactivity, 569, P. APPLEFORD, D. A. J., and DENMAN, A. M.: Viral interference assays in rheumatoid arthritis (RA) lymphocytes, 291, P. ARCHER, J. R., see YOUNG, C. R. et al. ARDEN, G. P., see HIRSCHOWITZ, D. et al. ARDILL, J., see ROONEY, P. J. et al. Arteries, temporal, immunological and histological study, 238 Arthritics, disabled, medical and social needs, 567, P. Arthritis, adjuvant, see Adjuvant arthritis chronic, in childhood: Heberden Oration, 1977, 107 of mixed connective tissue disease, 397 nodal, and primary osteoarthrosis of hips, 570, P. peripheral, prevalence in inflammatory bowel disease, 33 prostaglandin production, 315 pyogenic, as complication of rheumatoid disease, importance of infected foot, 294, P.

reactive, sexually acquired, role of Chlamydia

Arthropathy, hip, exercise testing before and after, 482, P.

Jaccoud's, case report and necropsy study, 561

pyrophosphate, in hypophosphatasia, 481, P.

Arthroscintigraphy, proximal interphalangeal, in rheu-

Arthroscopy in diagnosis of chondromalacia patellae, 540

Articular cartilage contact areas of the ankle, 482, P.

tensile fatigue properties, man, 58

ASHEROV, J., SCHOENFELD, Y., and PINKHAS, J.: Bone

pains in chronic myelomonocytic leukaemia,

treated by cytosine arabinoside: correspondence,

hinge, knee, metal sensitivity, 373, 488, P.

hip, study of patient satisfaction, 482, P.

knee, in rheumatoid arthritis, 295, P.

trachomatis and HLA B27, 287, P.

rheumatoid, see Rheumatoid arthritis

Arthroplasty, elbow, new approach, 490, P.

matoid arthritis, 440

therapeutic value, 78

299

correspondence, 389 ASSCHER, A. W., see THOMAS, A. L. et al. Autoimmune diseases, precipitating antibodies to cellular antigens in, 244 Avascular necrosis of bone in SLE, 490, P. Azapropazone and renal function, 294, P. BABER, N., see ORME, M. L. E. et al. Back pain, low, and HLA B27, 485, P. research, Volvo awards, 202 non-specific, search for evidence of clustering in 268 patients, 491, P. patients, small spinal fractures in, 262 subtle spine abnormalities in: fracture vs. congenital anomaly: correspondence, 577 BACON, P. A., see BIRD, H. A. et al. BADDELEY, H., see O'DRISCOLL, S. L. et al. SIMS-WILLIAMS, H. et al. BAKER, S., see McCormick, J. N. et al. BALDASSARE, A. R., CHANG, F., and ZUCKNER, J.: Markedly raised synovial fluid leucocyte counts not associated with infectious arthritis in children, Balneotherapy, diuretic and natriuretic effect of water immersion, 567, P. BAMZAI, A., KRIEGER, M., and KRETSCHMER, R. R.: Synovial cysts in juvenile rheumatoid arthritis: case report, 101 BARNES, C. G., see BLENDIS, L. M. et al. VERNON-ROBERTS, B. et al. BARRETT, J. J., see BERRY, H. et al. BARZILAI, D., DICKSTEIN, G., ENAT, R., BASSAN, H., LICHTIG, C., and GELLEI, B.: Cholestatic jaundice caused by D-penicillamine: case report, 98 BASSAN, H., see BARZILAI, D. et al. BEHAN, W., see GRENNAN, D. M. et al. Behcet's syndrome, family study, 459 - multidisciplinary symposium, London, February 1979, notice, 582 synovial pathology, 139 BENNETT, R. M., and O'CONNELL, D. J.: The arthritis of mixed connective tissue disease, 397 BENTLEY, G., SMITH, A. U., and MUKERJHEE, R.: Isolated epiphyseal chondrocyte allografts into joint surfaces, 449 Isolated epiphyseal chondrocyte allografts into normal and arthrotic limbs, 486, P. see LESLIE, I. J., and BENTLEY, G. SCHORN, D. et al. BERG-LOONEN, E. M. VAN DEN, see VAN DEN BERG-LOONEN, E. M. BERGHS, H., REMANS, J., DRIESKENS, L., KIEBOOMS, L., and Polderman, J.: Diagnostic value of sacroiliac joint scintigraphy with 99m-technetium pyro-

phosphate in sacroiliitis, 190

BERRY, C. L., see CURREY, H. L. F., and BERRY, C. L.

BERRY, H., BARRETT, J. J., FORD-HUTCHINSON, A., and

HAMILTON, E. B. D.: Radioisotope scanning using

see also REMANS, J. et al.

a gamma camera, 76

BERME, N., see SOUTAR, W. A. et al.

Aspirin, incidence of gastric side effects, controlled trials;

Berry, H., Fernandes, L., Ford-Hutchinson, A. W., Evans, S. J. W., and Hamilton, E. B. D.: Alclofenac and D-penicillamine: comparative trial in rheumatoid arthritis, 93

 SWINSON, D., JONES, J., and HAMILTON, E. B. D.: Indomethacin and Naproxen suppositories in the

treatment of rheumatoid arthritis, 370

BERRY, J. L., see GREENWALD, A. S. et al.

Biliary cirrhosis, primary, rheumatic disorders in, 42 BILLINGHAM, M. E. J., see McDevitt, C. A., et al.

Bird, H. A.: Joint amyloid presenting as 'polymyalgic' rheumatoid arthritis: case report, 479

— ESSELINCKX, W., DIXON, A. ST. J., MOWAT, A. G., and WOOD, P. H. N.: Diagnostic criteria for polymyalgia rheumatica, 568, P.

— HALL, N. D., RING, E. F. J., and BACON, P. A.: Combined clinical and immunological assessment of 4 cyclophosphamide regimens in RA, 288, P.

— and RING, E. F. J.: Therapeutic value of arthroscopy, 78

TRIBE, C. R., and BACON, P. A.: Joint hypermobility leading to osteoarthrosis and chondrocalcinosis, 203, 481, P.

BITENSKY, L., see HENDERSON, B. et al. JOHNSTONE, J. J. et al.

BITTER, T., and JEANNET, M.: HLA(B)27 in persistent yet reversible asymmetric oligoarthritis (PRAO), 285, P.

BLECHMAN, W., WILLKENS, R., BONCALDO, G. L., HOFFMEISTER, R. T., LOCKIE, L. M., and MULTZ, C: Naproxen in osteoarthritis: double-blind crossover trial, 80

Bleeding disorders, chronic, rheumatic manifestations, children, 286, P.

BLENDIS, L. M., LOVELL, D., BARNES, C. G., RITLAND, S., CATTAN, D., and VESIN, P.: Oesophageal variceal bleeding in Felty's syndrome associated with nodular regenerative hyperplasia, 183

BLICHFELDT, P., see HØYERAAL, H. M. et al. BODDINGTON, M., see MOWAT, A. G. et al.

BODDINGTON, M. M., see Spriggs, A. I. et al.

BODDY, K., see KENNEDY, A. C. et al.

BONCALDO, G. L., see BLECHMAN, W. et al. Bone destruction in rheumatoid arthritis. Suitable case

for treatment, 285, *P*.

— and joint changes in lower limb amputees, 252

— pains in chronic myelomonocytic leukaemia,

 pains in chronic myelomonocytic leukaemia, treated by cytosine arabinoside: correspondence, 299

BONTA, I. L., PARNHAM, M. J., and VAN VLIET, L.: Combination of theophylline and prostaglandin E₁ as inhibitors of the adjuvant-induced arthritis syndrome of rats, 212

- see also PARNHAM, M. J. et al.

BOOK REVIEWS

Brattström, M.: Principles of joint protection in chronic rheumatic disease, 1977. 106

CYRIAX, J., and RUSSELL, G.: Textbook of orthopaedic medicine. Vol. 2. Treatment by manipulation, massage and injection, 9th ed., 1977. 105 DAUSSET, J., and SVEJGAARD, A., editors: HLA and disease, 301

DUBOIS, E. L., editor: Lupus erythematosus. A review of the current status of discoid and systemic lupus erythematosus and their variants, 2nd revised edition, 1976, 300

DUMONDE, D. C., and JASANI, M. K., editors: The recognition of anti-rheumatic drugs, 1978.

581

DUNCAN, A. S., DUNSTAN, G. R., and WELBOURN, R. B., editors: Dictionary of medical ethics, 1977. 201

FISK, J. W.: A practical guide to the management of the painful neck and back. Diagnosis, manipulation, exercises, prevention, 1977. 200

GAMBARELLI, J., GUÉRINEL, G., CHEVROT, L., and MATTÈI, M.: Computerised axial tomography, 1977. 200

GIORDANO, M.: La sclerosi sistemica progressiva, 1977. 393

GLYNN, L. E., and SCHLUMBERGER, H. D., editors: Experimental models of chronic inflammatory diseases, 1977. 105

HOLBOROW, E. J., and REEVES, W. G., editors: Immunology in medicine. A comprehensive guide to clinical immunology, 302

Hughes, G. R. V.: Connective tissue diseases, 1977. 199, 300

Jones, M. S.: An approach to occupational therapy, 3rd ed., 1977. 395

Kelley, W. N., editor: Crystal-induced arthropathies, 301

Langman, J., and Woerdeman, M. W.: Atlas of medical anatomy, 1978. 580

MAITLAND, G. D.: Peripheral manipulation, 2nd ed., 1977. 394

MAQUET, P. G. J.: Biomechanics of the knee. With application to the pathogenesis and the surgical treatment of osteoarthritis, 1976.

MILLER, B. F., and KEANE, R. N.: Eucyclopaedia and dictionary of medicine, nursing and allied health, 581

MUNTHE, E., editor: Penicillamine research in rheumatoid disease, 301

Nichols, P. J. R., and Wilshere, E. R., editors: Equipment for the disabled. Outdoor transport, 1977. 200

SCHALIER, J. G., and HANSON, V., editors: The rheumatic diseases of childhood. Proceedings of the 1st ARA conference, 1977. 393

SCOTT, J. T., editor: Copeman's textbook of the rheumatic diseases, 5th edition, 1978. 199 SHIOKAWA, Y., editor: Vascular lesions of collagen

diseases and related conditions, 1977. 199
SIMON, L., BLOTMAN, F., and CLAUSTRE, J.:

Abrégé de Rhumatologie, 2nd ed., 1977. 200 SOKOLOFF, L., *editor*: The joints and synovial fluid. Vol. I, 1978. 580

TAN, E. M., and ZIFF, M., editors: Arthritis: a quarter century of research, 1977. 300

THOMSON, W. A.: A dictionary of medical ethics and practice, 1977. 201

WILLIAMSON, J., and Brown, R. L.: The eye in connective tissue disease, 1978. 580

BOOTH, J. B., see ROSENBERG, J. N. et al.

Bossingham, D. H., Schorn, D., and Morgan, G.: Patterns of hip involvement in rheumatoid arthritis (RA), 293, P.

Bowel disease, inflammatory, and ankylosing spondylitis, see Ankylosing spondylitis

Brauer, G. W., and Prior, I. A. M.: A prospective study of gout in New Zealand Maoris, 466

BRAUMAN, H., see MANICOURT, D. et al.

BRAY, A., see STURGE, R. A. et al. BRENNAN, J., see KENNEDY, A. C. et al.

Bresnihan, B., Grigor, R., Oliver, M., Lewkonia, R., Lovins, R. E., Faulk, W. P., and Hughes, G.: Spontaneous abortion in systemic lupus erythematosus. Association with trophoblast-reactive lymphocytotoxic antibodies, 285, P.

see also GRIGOR, R. et al.

Brewerton, D. A., and Warren, R. E.: Klebsiella pneumoniae: correspondence, 298

see also Webley, M. et al.

BRISSON, E., see PERCY, J. S. et al.
BRITISH ORTHOPAEDIC RESEARCH SOC

British Orthopaedic Research Society, combined meeting with the Heberden Society, London, March 1978, proceedings, 481

Brown, D. H., EL GHOBAREY, A., SMITH, W. E., and TEAPE, J.: Serum copper levels in rheumatoid arthritis: correspondence, 391

BRUCKNER, F. E., see GIRGIS, F. L. et al. BUCHANAN, K. D., see ROONEY, P. J. et al.

BUCHANAN, W. W., see Alspaugh, M. A. et al.

CAPELL, H. et al. Grennan, D. M. et al. Kennedy, A. C. et al.

BULGEN, D., HAZLEMAN, B., WARD, M., and McCallum, M.: Immunological studies in frozen shoulder, 135

Burke, M. J., Roman, V., and Wright, V.: Bone and joint changes in lower limb amputees, 252——see also Marks, J. S. et al.

Burry, H. C., Tweed, J. M., Robinson, R. G., and Howes, R.: Lateral subluxation of the atlanto-axial joint in rheumatoid arthritis, 525

BURWELL, R. G., see COATES, C. L., et al.

Butacote and Naprosyn, comparative study in ankylosing spondylitis, 436

Byron, M. A., see Kirwan, J. R. et al. Bywaters, E. G. L., see D'Arcy, K. et al.

CADGE, B., see HOSKING, D. J. et al.

Caeruloplasmin, serum, in rheumatoid arthritis, 67
—— synovial fluid, in rheumatoid arthritis and osteoarthritis, 71

Calcific deposits in osteoarthritis, radiological study, 571, P.

Calcinosis in juvenile dermatomyositis, 573, P.

Calcitonin, salmon, long-term therapy, assessment of the functional effectiveness of antibody production, 484, P.

Calcium phosphate crystals in synovial fluid, 572, P. CAMARGO, M. E., see COSSERMELLI, W. et al.

CAMBRIDGE, G., see SEWELL, J. R. et al.

CANNELL, L. B., see TUCKER, A. K. et al.

CAPELL, H., RENNIE, J. A. N., ROONEY, P. J., DICK, W. C., and BUCHANAN, W. W., Novel method of assessment of clinical therapeutic benefit of non-steroidal anti-inflammatory analgesics in rheumatoid arthritis, 576, P.

---- see also EL-GHOBAREY, A. et al.

CARBONARA, A. O., see MIGONE, N. et al. MODENA, V. et al.

Carcinoembryonic antigen (CEA) from rheumatoid synovium, antiserum raised to, 573, P.

Cardiac tamponade in juvenile rheumatoid arthritis successfully treated with pericardiocentesis: case report, 273: correspondence, 492

Cartilage destruction by synovial enzymes in organ culture, 487, P.

— femoral head, variation of chemical composition with age, 168

— see also Articular cartilage CARTY, M., see Grennan, D. M. et al.

CASHMAN. B., see JOHNSTONE. J. J. et al.

CATTAN, D., see BLENDIS, L. M. et al.

CAWDELL, D. R., see EBRINGER, R. et al. EBRINGER, R. W. et al.

CEPPELLINI, R., see MIGONE, N. et al.

Cervical spine, in RA of 15 years' duration, radiological study: assessment of corticosteroid treatment, 529

CHAMBERLAIN, M. A.: A family study in Behcet's syndrome, 459

CHANG, F., see BALDASSARE, A. R. et al.

CHAPPELL, D. J., see WEIGHTMAN, B. et al. CHAYEN, J., see HENDERSON, B. et al.

JOHNSTONE, J. J. et al.

Chlamydia trachomatis and HLA B27, role in sexually acquired reactive arthritis, 287, P.

Cholestatic jaundice caused by D-penicillamine: case report, 98

Chondrocalcinosis and osteoarthrosis, joint hypermobility leading to, 203, 481, *P*.

Chondrocyte allografts, epiphyseal, isolated, into joint surfaces, 449, 486, P.

Chondromalacia patellae, arthroscopy in diagnosis, 540
—— variations in patello-femoral relationships,
485. P.

Circhosis, biliary, primary, rheumatic disorders in, 42

CLAGUE, R. B., and HOLT, P. J. L.: Collagen antibodies in rheumatoid arthritis, 573, P.

— — The significance of the level of circulating immune complexes measured by the (123I) – C1q binding test in patients with arthritis, 570, P.

CLARKE, A. K., GALBRAITH, R. M., HAMILTON, E. B. D., and WILLIAMS, R.: Rheumatic disorders in primary biliary cirrhosis, 42 COATES, C. L., BURWELL, R. G., LLOYD-JONES, K., SWANNELL, A. J., WALKER, G., and SELBY, C.: Somatomedin activity in synovial fluid from patients with joint diseases, 303

COHEN, M. J., EZEKIEL, J., and PERSELLIN, R. H.: Costovertebral and costotransverse joint involvement in rheumatoid arthritis, 473

Cold insoluble globulin, concentrations in citrated plasma in rheumatoid disorders, 347

Collagen antibodies in RA, 573, P.

- synthesis, effect of p-penicillamine on, 491, P.

COLLINS, C. E., see KERSLEY, G. D. et al.

COLLINS, R., see YEATTS, R. P. et al.

Complement C3 metabolism examination in rheumatoid arthritis, using 2-dimensional immunoelectrophoresis, 18

Conjunctiva, changes with age and in keratoconjunctivitis sicca, 287, P.

Connective tissue disease, mixed, arthritis of, 397

Constable, T. J., McConkey, B., and Paton, A.:
The cause of death in rheumatoid arthritis, 569, P.
Cooke, E. M., see Eastmond, C. J. et al.

Copper, serum, and related variables, in rheumatoid arthritis, 67

in rheumatoid arthritis: correspondence, 391
 synovial fluid, and related variables in rheumatoid arthritis and degenerative arthritis, 71

CORBETT, M., see DODMAN, S. et al. CORKE, C. F., see DIEPPE, P. A. et al.

CORN, R. C., see Greenwald, A. S. et al.

CORRESPONDENCE: Bone pains in chronic myelomonocytic leukaemia, treated by cytosine arabinoside, 299

Cardiac tamponade in juvenile rheumatoid arthritis, 492

Failure of regular exercise by swimming to influence adjuvant arthritis in the rat, 104 Incidence of gastric side effects in controlled trials

with unbranded aspirin and with various long-acting aspirin preparations, 389

Klebsiella pneumoniae, 298, 577 Rheumatism in retrospect, 198

Serum copper levels in rheumatoid arthritis, 391 Subtle spine abnormalities in patients with low back pain, fracture vs. congenital anomaly, 577

Thoracolumbar spine abnormalities in rheumatoid arthritis, 389

Thrombocytosis in rheumatoid arthritis, 299

CORRIGALL, V., and PANAYI, G. S.: Phytohaemagglutinin (PHA) and K-cell cytotoxicity by mononuclear cells from inflammatory synovial fluids (SF), 289, P.

——— Lymphocyte studies in rheumatoid arthritis, 410

UNGER, A., POSTON, R. N., and WILLIAMS,
 B. D.: Detection of immune complexes in serum of patients with ankylosing spondylitis, 159

Corticosteroid treatment, assessment, radiological study of cervical spine and hand in RA of 15 years' duration, 529

COSH, J. A., see RASKER, J. J., and COSH, J. A.

Cossermelli, W., Friedman, H., Pastor, E. H., Nobre, M. R., Manzione, A., Camargo, M. E., and Shiroma, M.: Polymyositis in Chagas's disease: case report, 277

COTRONEI, S. L., see PHILLIPS, P. E. et al. COWLING, P., see EBRINGER, R. et al.

EBRINGER, R. W. et al.

Cox, N., see Kinsella, P. et al. Coxsackie B neutralisation titres in polymyositis, 287, P. Crocker, P. R., see Dieppe, P. A. et al.

Cryoglobulin screening, rapid, aid to the clinician, 444
CURREY, H. L. F., and BERRY, C. L.: Failure of regular
exercise by swimming to influence adjuvant

arthritis in the rat: correspondence, 104 Cyclic AMP and PGE₁ in perfusates of rat hind paws during development of adjuvant arthritis, 218

Cyclophosphamide regimens in RA, combined clinical and immunological assessment, 288, P.

Cysts, synovial, in juvenile rheumatoid arthritis: case

report, 101

Cytosine arabinoside in treatment of bone pains in chronic myelomonocytic leukaemia: correspondence, 299

Daneo, V., see Migone, N. et al. Modena, V. et al.

DANPURE, D. J., and GUMPEL, J. M.: Distribution of gold in plasma fractions of rheumatoid patients undergoing chrysotherapy, 292, P.

D'ARCY, K., ANSELL, B. M., and BYWATERS, E. G. L.: A family with primary protrusion acetabuli, 53

DAVIES, D. D. FELIX-, see FELIX-DAVIES, D. D.

DAVIES, M., see THOMAS, A. L. et al.

DAVIES, M. G., MARKS, R., and NUKI, G.: Dermatitis herpetiformis (DH): associated immunological disorders, 574, P.

DAVIES, P., THOMSON, A. B. R., and LENTLE, B. C.: Assessment sacroillitis in patients with inflammatory bowel disease (IBD), 290, P.

DAVIS, M. A., see NOBLE, J. et al. DAVIS, P., see PERCY, J. S. et al.

DAVISON, A. M., see HILL, H. et al.

DAVISON, E. P., see THOMPSON, M. et al.

DAYMOND, T. J., THOMPSON, M., ROBERTS, D. F., and WEE, S. L.: Diminished mixed lymphocyte response in ankylosing spondylitis, 293, P.

DE HAAS, W. D. H., and VAN HEERDE, P.: Synovial origin of periarticular structures, 286, P.

---- see Dekker-Saeys, B. J. et al.

DEANE, G., see SCHORN, D. et al.

Death, cause in RA, 569, P.: during treatment with azathioprine, 569, P.

Deep vein thrombosis and rheumatoid arthritis, 293, P.
DEKKER-SAEYS, B. J., MEUWISSEN, S. G. M., VAN DEN
BERG-LOONEN, E. M., DE HAAS, W. H. D.,
AGENANT, D., and TYTGAT, G. N. J.: Ankylosing
spondylitis and inflammatory bowel disease, II.
Prevalence of peripheral arthritis, sacroilitis, and
ankylosing spondylitis in patients suffering from
inflammatory bowel disease, 33

DEKKER-SAEYS, B. J., MEIJERS, K. A. F., and TYTGAT, G. N. J.: Ankylosing spondylitis and inflammatory bowel disease, III. Clinical characteristics and results of histocompatibility typing (HLA B27) in 50 patients with both ankylosing spondylitis and inflammatory bowel disease, 36

DENMAN, A. M., see APPLEFORD, D. A. J., and DENMAN, A. M.

DENTON, L. B., see HOSKING, D. J. et al.

Depomedrone, and Erbium 169, controlled trial in RA, 574. P.

Dermatitis herpetiformis, associated immunological disorders, 574, P.

Dermatomyositis, juvenile, calcinosis in, 573, P.

DHANENDRAN, M., and HUTTON, W. C.: The force distribution under the foot, 483, P.

di VITTORIO, S., see MODENA, V. et al.

DICK, H. M., see SPENCER, D. G. et al.

DICK, W. C., see CAPELL, H. et al.

EL-GHOBAREY, A. et al. ROONEY, P. J. et al. SPENCER, D. G. et al.

DICKSTEIN, G., see BARZILAI, D. et al.

DIEPPE, P. A., CROCKER, P. R., CORKE, C. F., DOYLE, D. V., HUSKISSON, E. C., and WILLOUGHBY, D. A.: Calcium phosphate crystals in synovial fluid, 572 P.

--- see also Huskisson, E. C. et al.

SCOTT, J. et al. TUCKER, A. K. et al. WILLIAMS, G. T. et al.

DIPPY, J. E.: Antinuclear factor as a prognostic indicator for p-penicillamine treatment in rheumatoid arthritis, 291, P.

DIXON, A. St. J., see BIRD, H. A. et al. Kersley, G. D. et al.

DIXON, J. S., see LOWE, J. R. et al. PICKUP, E. et al.

DODMAN, S., EBRINGER, R., and CORBETT, M.: 27 Feet, 294, P.

DONIACH, D., see FERNANDES, L. et al. SULLIVAN, S. et al.

DORMANDY, T. L., see SCUDDER, P. R. et al.

DOWNIE, W. W., LEATHAM, P. A., RHIND, V. M., PICKUP, M. E., and WRIGHT, V.: The visual analogue scale in the assessment of grip strength, 382

—— — WRIGHT, V., BRANCO, J. A., and ANDERSON, J. A.: Studies with pain rating scales, 378

REMANS, J. et al.

— see also Lowe, J. R. et al. Pickup, E. et al.

Doyle, D. V., see Dieppe, P. A. et al. Drieskens, L., see Berghs, H. et al.

DUTHIE, J. J. R., see McCormick J. N. et al.

EADE, A. W. T., SWANNELL, A. J., and WILLIAMSON, N. R.: Pyrophosphate arthropathy in hypophosphatasia, 481, P.

— see also Morris, I. M., and EADE, A. W. T. Ear, middle, function, in rheumatoid arthritis, 522

EASTMOND, C. J., COOKE, E. M., and WRIGHT, V.: Klebsiella pneumoniae: correspondence, 298

— and WRIGHT, V.: A comparative study of finger nail abnormalities in patients with psoriatic arthritis, other rheumatic diseases, and non-rheumatic diseases, 568, P.

---- see also Woodrow, J. C., and Eastmond, C. J.

EBRINGER, A., see Andrews, B. A. et al. EBRINGER, R. et al. EBRINGER, R. W. et al. YOUNG, C. R. et al.

EBRINGER, R., CAWDELL, D. R., COWLING, P. and EBRINGER, A.: Klebsiella pneumoniae: correspondence, 577

— see also Andrews, B. A. et al. Dodman, S. et al.

EBRINGER, R. W., CAWDELL, D. R., COWLING, P., and EBRINGER, A.: Sequential studies in ankylosing spondylitis. Association of *Klebsiella pneumoniae* with active disease, 146, 484, *P*.

EDDLESTON, A., see FERNANDES, L. et al. EDDLESTON, A. L. W. F., see SULLIVAN, S. et al.

EDMONDS, J., see GRIGOR, R. et al.

EDWARDS, J., see HIRSCHOWITZ, D. et al.

EL-GHOBAREY, A., REYNOLDS, P., CAPELL, H., SPENCER, D., and DICK, W. C.: Clinical and laboratory studies of levamisole in patients with rheumatoid arthritis, 292, P.

---- see also Brown, D. H. et al.

Elbow arthroplasty, new approach, 490, P.

EMERSON, P. A., see Webley, M. et al. Enat, R., see Barzilai, D. et al.

ENGLER, C., see ANSELL, B. M. et al.

Erbium 169 and Depomedrone, controlled trial in RA, 574, P.

ESSELINCKX, W., see BIRD, H. A. et al.

Evaluation and the health professions, new journal, 202 Exercise testing before and after hip arthropathy, 482, P. Extractable nuclear antigens, soluble, clinical significance

of antibodies, 321 Evans, A. L., see Paterson, J. et al.

EVANS, E. D., see HOLT, P. J. L., and EVANS, E. D.

EVANS, S. J. W., see BERRY, H. et al.

EZEKIEL, J., see COHEN, M. J. et al.

FARAH, F., see PICKUP, E. et al.

Fatigue properties, tensile, articular cartilage, man, 58

FAULK, W. P., see Bresnihan, B., et al.

FELIX-DAVIES, D. D., see JOHNS, P. et al.

Felty's syndrome, oesophageal variceal bleeding associated with nodular regenerative hyperplasia, 183

Femoral head cartilage, variation of chemical composition with age, 168

FERGUSON-SMITH, M. A., see SPENCER, D. G. et al. FERNANDES, L., SULLIVAN, S., MCFARLANE, I., WOJCICKA, B., EDDLESTON, A., DONIACH, D., HAMILTON, E., and WILLIAMS, R.: Immune responses to salivary and bile antigens in rheumatoid arthritis and Sjögren's syndrome, 287, P.

— see also Berry, H. et al. Sullivan, S. et al. Fibrinogen, reaction with streptococcal extract in rheumatoid arthritis, synovial fluid, immunodiffusion studies, 339

Fibrosing alveolitis, α_1 -antitrypsin phenotypes in, 285, P. Finger nail abnormalities in psoriatic arthritis, rheumatic diseases, and non-rheumatic diseases, comparative studies, 568, P.

Fluorimetry, in estimation of immunoglobulin M rheumatoid factors, 247

Foot (feet), force distribution under, 483, P.

infected, pyogenic arthritis as complication of rheumatoid disease, 294, P.

painful, with positive HLA B27 arthritis, 294, P.

pressure, in fashion shoes, 483, P. Force distribution under the foot, 483, P. FORD-HUTCHINSON, A., see BERRY, H. et al. FORESTIER, J. Obituary, 388 Fractures, spinal, see Spine (spinal),

FRANCIS, M. J. O., see SCHORN, D. et al.

FRANCO, M., see STURGE, R. A. et al.

French Society of Rheumatology: Revue du rhumatisme et des maladies ostéo-articulaires, English edition, notice, 106

FRIEDMAN, H., see Cossermelli, W. et al. FRØLAND, S. S., see HØYERAAL, H. M. et al. Frozen shoulder, immunological studies, 135

FYRAND, O., MUNTHE, E., and SOLUM, N. O.: Studies on cold insoluble globulin, I. Concentrations in citrated plasma in rheumatic disorders, 347

GABELL, A., see GRAHAME, R. et al.

GALASKO, C. S. B., and SYLVESTER, D. S.: HLA B27 and low back pain, 485, P.

GALBRAITH, R. M., see CLARKE, A. K. et al.

Gamma camera, radioisotope scanning with, 76 glutamyl transpeptidase levels in arthritis, 428

GARGAN, R., see SEIFERT, M. H. et al.

Gastric secretion, gastrin, and adjuvant arthritis, relationship between rats, 432

side effects, incidence with aspirin controlled trials: correspondence, 389

Gastrin, gastric secretion and adjuvant arthritis, relationship between, rats, 432

Gastro-intestinal disease, prednisolone absorption in, 575, P.

GAUDREAU, A., AMOR, B., KAHN, M. F., RYCKEWAERT, A., SANY, J., and PELTIER, A. P.: Clinical significance of antibodies to soluble extractable nuclear antigens (anti-ENA), 321

GEDDES, D., see WEBLEY, M. et al. GELLEI, G., see BARZILAI, D. et al.

GERBER, H., see McCormick, J. N. et al. GERWEN, F. VAN, see VAN GERWEN, F.

GHOBAREY, A. EL-, see EL-GHOBAREY, A.

GIBSON, T., KILBOURN, K., HORNER, I., and SIMMONDS, H. A.: Causative factors and treatment of hypertriglyceridaemia in gout, 572, P.

GIBSON, W. P. R., see ROSENBERG, J. N. et al.

GIRGIS, F. L., POPPLE, A. W., and BRUCKNER, F. E .: Jaccoud's arthropathy. A case report and necropsy study, 561

GLADMAN, D. D., see TAN, R. F. et al.

Globulin, cold insoluble, concentrations in citrated plasma in rheumatic disorders, 347

Gold, distribution in plasma fraction of rheumatoid patients undergoing chrysotherapy, 292, P.

and penicillamine, proposed mode of action in rheumatoid arthritis, based on synovial fluid analysis, 493, 566, P.

salts, effect on neutrophil chemotaxis in rheumatoid arthritis, 1

serum, in rheumatoid arthritis, 67

therapy, deaths associated with, 290, P.

treatment in RA, and immunoglobulin A deficiency, 289. P.

GORDON, D., see STURGE, R. A. et al.

Gout, hypertriglyceridaemia in, causative factors and treatment, 572, P.

prospective study in New Zealand Maoris, 466

GRAHAME, R., HUNT, J. N., KITCHEN, S., and GABELL, A.: The diuretic and natriuretic effect of water immersion—a possible rationale for balneotherapy,

GRANDA, R., HARGRAVE-, see HARGRAVE-GRANDA, R. GREENWALD, A. S., BERRY, J. L., and CORN, R. C.: Mechanical and microangiographic analysis of porous implant systems, 483, P.

and MATEJCZYK, M. B.: Articular cartilage contact areas of the ankle, 482, P.

GRENNAN, D. M., HOWIE, A. D., MORAN, F. and BUCHANAN, W. W.: Pulmonary involvement in systemic lupus erythematosus, 536

McCormick, J. N., Wojtacha, D., Carty, M., and BEHAN, W.: Immunological studies of the placenta in systemic lupus erythematosus, 129

GRIBNAU, F. W. J., see VAN GERWEN, F. et al. GRIFFITHS, I. D., MAINI, R. N., and Scott, J. T.: Avascular necrosis of bone in SLE, 490, P.

GRIGOR, R., EDMONDS, J., LEWKONIA, R., BRESNIHAN, B., and Hughes, G. R. V.: Systemic lupus erythematosus. A prospective analysis, 121, 284, P.

see also Bresnihan, B. et al.

Grip strength, assessment, visual analogue scale, 382 GUMPEL, J. M.: Deaths associated with gold therapy,

Incidence of gastric side effects in controlled trials with unbranded aspirin and with various longacting aspirin preparations: correspondence, 389

Intra-articular yttrium 90 in rabbits. Comparison of behaviour of various radiocolloids in rabbits and in man, 195

and MATTHEWS, S. A.: A controlled trial of Erbium 169 and Depomedrone in rheumatoid arthritis, 574. P.

see also ANSELL, B. M. et al. DANPURE, D. J. and GUMPEL, J. M. KIRWAN, J. R. et al. TAYLOR-ROBINSON, D. et al. WINFIELD, J. and GUMPEL, J. M.

HAAS, W. D. H. DE, see DE HAAS, W. D. H.

HALL, G. H., JONES, B. J. M., HEAD, A. C., and JONES, V. E.: Intra-articular methotrexate, 351

HALL, N. D.: Interaction of rheumatoid leucocytes with IgG-IgG complexes and with rabbit IgG fragments, 289, P.

- see also BIRD, H. A. et al.

HALLIDAY, L. D. C., see ORME, M. L. E. et al.

Hamilton, E., see Fernandes, L. et al. Sullivan, S. et al.

HAMILTON, E. B. D., see BERRY, H. et al. CLARKE, A. K. et al.

Handbook of the International League against Rheumatism, VI edition, 1977, notice, 106

Hand(s) in RA of 15 years' duration, radiological study, assessment of corticosteroid treatment, 529

P. Silastic prostheses, 5-year follow-up, 255, 295,

HANKA, R., see LEWIS, P. et al.

HARDINGE, K., see MARKS, J. S. et al.

Hargrave-Granda, R., see Phillips, P. E., and Hargrave-Granda, R.

HARKISS, G., and Brown, D. L.: Longitudinal studies of circulating immune complexes in SLE, 570, P.

HARRISON, B. E., see KAY, A. G. L., and HARRISON, B. E.

HART, G., see HIRSCHOWITZ, D. et al. HART, H., see McCormick, J. N. et al.

HAWKINS, C. F., see JOHNS, P. et al.

HAZLEMAN, B., see BULGEN, D. et al. Lewis, P. et al.

HAZLEMAN, B. L., see PARK, J. R., and HAZLEMAN, B. L. HEAD, A. C., see HALL, G. H. et al.

Heberden Oration, 1977: Chronic arthritis in childhood,

Heberden Society, Annual Report and proceedings of Clinical Meeting, November 18 and 19, 1977, 281

 Clinical Meeting, proceedings, Carlisle, October 1977, 290, P.

— combined meeting with the British Orthopaedic Research Society, London, March 1978, proceedings, 481

HEERDE, P. VAN, see VAN HEERDE, P.

HEGNA, T. M., see HØYERAAL, H. M. et al.

Henderson, B., Bitensky, L., and Chayen, J.: Altered phospholipids in human rheumatoid synoviocytes, 24

---- --- Mitochondrial oxidative activity in human rheumatoid synovial lining cells, 548

HILL, A., see Taylor-Robinson, D. et al. HILL, H. and HILL, A.

HILL, H. et al.

HILL, H., and HILL, A.: Penicillamine: 750 mg is not the dose, 288, P.

— HILL, A., and DAVISON, A. M.: Can penicillamine be used in rheumatoid arthritis after it has induced proteinuria? 566, P.

— and TAYLOR, A. R.: Deep vein thrombosis and rheumatoid arthritis, 293, P.

Hinge arthroplasty of the knee, significance of metal sensitivity, 488, P.

— involvement, patterns in rheumatoid arthritis, 293, P. HIRSCHOWITZ, D., EDWARDS, J., ARDEN, G. P., HART, G., and SHEA, J.: Treatment of the painful knee by reduction of intra-osseous hypertension, 481, P.

HJORT, N. L., see HØYERAAL, H. M. et al.

HLA B27 and *Chlamydia trachomatis*, role in sexually acquired reactive arthritis, 287, *P*.

and the genetics of ankylosing spondylitis, 504
 genotypic and phenotypic studies of individuals homozygous and heterozygous for, with and without ankylosing spondylitis, 485, P.

 histocompatibility typing in inflammatory bowel disease and ankylosing spondylitis, 36

- and low back pain, 485, P.

— in persistent yet reversible asymmetric oligoarthritis 285, P.

 ------linked diseases, and mechanism of immune response inversion after hyperimmunisation, 152

typing and nosological implications of ankylosing spondylitis and spondylodiscitis, 510
 and sacroilitis, clinical and genetical study,

513 HNATOWICH, D. J., see NOBLE, J. et al.

HOFFMEISTER, R. T., see BLECHMAN, W. et al.

HOLT, P. J. L., and Evans, E. D.: Rheumatic manifestations of chronic bleeding disorders in children, 286. P.

— see also CLAGUE, R. B., and HOLT, P. J. L.

HOPKINS, M., see THOMAS, A. L. et al.

HOPKINS, R., see WRIGHT, V. and HOPKINS, R.

HORNER, I., see GIBSON, T. et al.

Hosking, D. J., Denton, L. B., Cadge, B., Martin, T. J.:

Assessment of the functional effectiveness of antibody production during long-term salmon
calcitonin therapy, 484, P.

Howes, R., see Burry, H. C. et al.

Howie, A. D., see Grennan, D. M. et al.

HØYERAAL, H. M., FRØLAND, S. S., SALVESEN, C. F., MUNTHE, E., NATVIG, J. B., KÅSS, E., BLICHFELDT, P., HEGNA, T. M., REVLEM, E., SANDSTAD, B., and HJORT, N. L.: No effect of transfer factor in juvenile rheumatoid arthritis by double-blind trial, 175

HRNČÍŘ, Z., and TICHÝ, M.: Subclasses IgA₁ and IgA₂ in serum and synovial fluid in rheumatoid arthritis and reactive synovitis of local origin, 518

HUGHES, G., see Bresnihan, B. et al.

Hughes, G. R. V., see Grigor, R. et al. Pinching, A. J. et al. Sewell, J. R. et al.

WILSON, W. A. and HUGHES, G. R. V.

HUNT, J. N., see GRAHAME, R. et al.

HUNTINGDON, L. J., see TIETJENS, B. R. et al.

Huskisson, E. C., Dieppe, P. A., and Scott, J.: Inflammatory polyarthritis in osteoarthritis, 571, P.

— and Scorr, J.: Sulindac: trials of a new antiinflammatory drug, 89

— Cardiac tamponade in juvenile rheumatoid arthritis: correspondence, 492

Huskisson, E. C., see also Dieppe, P. A. et al. Scott, J. et al. Tucker, A. K. et al. Williams, G. T. et al.

Hutchinson, A. Ford-, see Ford-Hutchinson, A. Hutton, W. C., see Dhanendran, M., and Hutton, W. C.

Hydrotherapy, diuretic and natriuretic effect of water immersion, 567, P.

Hyperimmunisation, immune response inversion, and HLA-linked diseases, 152

Hypertension, intraosseous, reduction, in treatment of painful knee, 481, P.

Hypertriglyceridaemia in gout, causative factors and treatment, 572, P.

Hypophosphatasia, pyrophosphate arthropathy in, 481, P.

Immune complexes, cellular, and impairment of lachrymal and salivary secretion in RA, 164

— circulating, measured by the (123I)-Clq binding test in arthritis, 570, P.

— — in SLE, longitudinal studies, 570, *P*.

detection in serum in ankylosing spondylitis,

— platelet interactions, soluble and insoluble, rheumatoid inflammation, 421

— response inversion after hyperimmunisation, and HLA-linked diseases, 152

— to salivary and bile antigens in rheumatoid arthritis and Sjögren's syndrome, 287, P.

Immunodiffusion studies on synovial fluid in rheumatoid arthritis, reaction of fibrinogen with streptococcal extract. 339

Immunoelectrophoresis, 2-dimensional, use to examine complement C3 metabolism in rheumatoid arthritis, 18

Immunoglobulins, ¹²³I-heat aggregated human, uptake by lymphocytes in rheumatoid arthritis, 343

— A deficiency in RA treated with D-penicillamine or gold, 289, P.

 A₁ and A₂ in serum and synovial fluid in rheumatoid arthritis and reactive synovitis of local origin, 518

 G, IgG-IgG complexes, interaction of rheumatoid leucocytes with, and with rabbit IgG fragments, 289, P.

— M rheumatoid factors, estimation by fluorimetry, 247

Implant systems, porous, mechanical and microangiographic analysis, 483, P.

IMRIE, R. C., see ROONEY, P. J. et al.

Indomethacin and Naproxen suppositories in rheumatoid arthritis treatment, 370

 in RA, clinical and biochemical effects and pharmacokinetics in responders and non-responders, 575, P.

Infection and joint fluid lactic acid, 489, P.

International League against Rheumatism, handbook, VI edition, 1977, notice, 106

Intervertebral disc, swelling pressure, 489, P.

Iraq, rheumatoid arthritis in population samples, 73 Iron and iron-binding capacity in rheumatoid arthritis, 67 Jaccoud's arthropathy, case report and necropsy study, 561

Jamaica, rheumatology, 3 years' experience, 286, P.

JAMES, W. B., see PATERSON, J. et al.

Jaundice, cholestatic, caused by D-penicillamine: case report, 98

JAYSON, M. I. V., see KERSLEY, G. D. et al.

LOVELL, C. R. and JAYSON, M. I. V. NILSEN, K. H. and JAYSON, M. I. V. O'DRISCOLL, S. et al. SIMS-WILLIAMS, H. et al.

JEANNET, M., see BITTER, T., and JEANNET, M. JEFFS, J. V., see KAY, A. G. L. et al.

JENKINS, E. A., see WEIGHTMAN, B. et al.

JESSOP, J. D., WILKINS, M., and YOUNG, M. H.: The phagocytic activity of synovial cells in organ culture, 490, P.

---- see also Pritchard, M. H. et al.

JOHNS, P., FELIX-DAVIES, D. D., HAWKINS, C. F., MACINTOSH, P., SHADFORTH, M. F., STANWORTH, D. R., THOMPSON, R. A., and WILLIAMSON, N.: IgA deficiency in patients with rheumatoid arthritis treated with D-penicillamine or gold, 289, P.

JOHNSON, R. L., see KALOVIDOURIS, A. E., and JOHNSON, R. L.

JOHNSON, S. A. N., see WILLIAMS, G. T. et al.

JOHNSTONE, J. J., BITENSKY, L., CASHMAN, B., and CHAYEN, J.: The effect of zinc on alkaline phosphatase activity in rheumatoid synovial tissue, 552

Joint amyloid presenting a 'polymyalgic' rheumatoid arthritis: case report, 479

and bone changes in lower limb amputees, 252
 fluid cytology in Reiter's disease, 557

hypermobility leading to osteoarthrosis and chondrocalcinosis, 203, 481, P.

 involvement, costovertebral and costotransverse, in rheumatoid arthritis, 473

in systemic sclerosis, 292, P.
 knee, stability, kinematic assessment, 487, P.

Jones, A. G., see Noble, J. et al.

JONES, B. J. M., see HALL, G. H. et al. JONES, E. E., see KERSLEY, G. D. et al.

Jones, J., see Berry, H. et al.

JONES, K. LLOYD-, see LLOYD-JONES, K.

JONES, T., see PINCHING, A. J. et al. JONES, V. E., see HALL, G. H. et al.

JUBB, R. W.: Cartilage destruction by synovial enzymes in organ culture, 487, P.

Juvenile rheumatoid arthritis with cardiac tamponade: case report, 273, correspondence, 492

K-cell and phytohaemagglutinin cytotoxicity by mononuclear cells from inflammatory synovial fluids, 289, P.

KAHN, M. F., see GAUDREAU, A. et al.

KALOVIDOURIS, A. E., and JOHNSON, R. L.: Rapid cryoglobulin screening: an aid to the clinician, 444

KASS, E., see HØYERAAL, H. M. et al. KATES, A., see WEBLEY, M. et al.

KAUFMANN, J., see YEATTS, R. P. et al.

KAY, A. G. L.: Myelotoxicity of p-penicillamine, 567, P.
 and HARRISON, B. E.: Hip arthroplasty: a study of patient satisfaction, 482, P.

JEFFS, J. V., and SCOTT, J. T.: Experience with Silastic prostheses in the rheumatoid hand. A 5-year follow-up, 255, 295, P.

KEAT, A. C., MAINI, R. N., SCOTT, J. T., NKWAZI, G. C., RIDGEWAY, G., and PEGRUM, G. D.: Role of *Chlamydia trachomatis* and HLA B27 in sexually acquired reactive arthritis, 287, *P*.

KEENAN, J., see ORME, M. L. E. et al.

KENDALL, J. P., see TIETJENS, B. R. et al.

Kennedy, A. C., Allam, B. F., Mavrikakis, M., and Lindsay, R.: Bone destruction in rheumatoid arthritis. Suitable case for treatment? 285, P.

— BODDY, K., KING, P. C., BRENNAN, J., ANDERSON, J. A., and BUCHANAN, W. W.: The relationship between uric acid and potassium in normal subjects, 333

Keratoconjunctivitis sicca, changes in conjunctiva in, and with age, 287, P.

Kersley, G.: Rheumatism in retrospect: correspondence, 198

Kersley, G. D., Collins, C. E., Dixon, A. St. J., Jayson, M. I. V., and Jones, E. E.: A search for evidence of clustering in 268 patients with non-specific back pain, 491, P.

Kiebooms, L., see Berghs, H. et al.

REMANS, J. et al. KILBOURN, K., see GIBSON, T., et al.

KING, P. C., see KENNEDY, A. C. et al.
KINSELLA, P., HOOKER, J., and Cox, N.: Ankylosing spondylitis presenting as PUO, 294, P.

KIRWAN, J. R., ALTMAN, D. A., BYRON, M. A., WINFIELD, J., and GUMPEL, J. M.: Measurement in assessment of synovitis of the knee, 295, P.

KITCHEN, S., see GRAHAME, R., et al.

Klebsiella/Enterobacter micro-organisms, vitreous humour and human lymphocytes, crossreactivity, possible mechanism for uveitis and ankylosing spondylitis, 569, P.

Klebsiella pneumoniae and ankylosing spondylitis, sequential studies, 146, correspondence, 298, 577, 484, P.

Knee arthroplasty in rheumatoid arthritis, 295, P.

hinge arthroplasty, metal sensitivity, 373
joints, examination, observer variation, 376

joints, examination, observer variation, 376
 rheumatoid inflammation, assessment, 48

hypertension, 481, *P*.

— persistent synovitis, repeat intra-articular injection of yttrium, 90 colloid, 291, *P*.

— synovitis, measurement in assessment, 295, P. Korst, J. Van Der, see Van Der Korst, J.

KRAMER, R., see NOBLE, J. et al. KRETSCHMER, R. R., see BAMZAI, A. et al. KRIEGER, M., see BAMZAI, A. et al. KVASNICKA, J., see MAJEED, H. A., and KVASNICKA, J.

Lachrymal and salivary secretion, impairment, and cellular immune responses to salivary antigens in rheumatoid arthritis, 164

Lactic acid, joint fluid, guide to infection, 489, P.

LAMBERT, J. R., ROBERTS, M., and WRIGHT, V.: Nitrolube tetrazolium test in psoriatic arthrosis, rheumatoid arthritis, and osteoarthrosis, 363

LAURENT, M. R., and PANAYI, G. S.: Acute phase reactants in ankylosing spondylitis, 569, P.

LAVELLE, M. I., see THOMPSON, M. et al.

Lea, D. J., and Ward, D. J.: Estimation of IgM rheumatoid factors by fluorimetry, 247

LEATHAM, P. A., see Downie, W. W. et al. Lowe, J. R. et al.

LENTLE, B. C., see DAVIES, P. et al.

Leslie, I. J., and Bentley, G.: Arthroscopy in the diagnosis of chondromalacia patellae, 540

Leucocyte(s) counts, synovial fluid, markedly raised, not associated with infectious arthritis in children, 404
—— rheumatoid, interaction with IgG-IgG complexes

and with rabbit IgG fragments, 289, P.
Leukaemia, myelomonocytic, chronic, bone pains, treated by cytosine arabinoside: correspondence, 290

Levamisole, continuous and intermittent, controlled trial, 259

effect on neutrophil chemotaxis in rheumatoid arthritis, 1

- in RA, clinical and laboratory studies, 292, P.

— meutropenia during, 366

Lewis, P., Hazleman, B., Hanka, R., and Roberts, S.: Cause of death in patients with rheumatoid arthritis treated with azathioprine, 569, P.

Lewkonia, R., see Bresnihan, B. et al. Grigor, R. et al.

LICHTIG, C., see BARZILAI, D. et al. Limb, lower, amputees, bone and joint changes, 252

LINDSAY, R., see KENNEDY, A. C. et al. LISON, A., see THOMAS, A. L. et al.

LITTLER, T., see ORME, M. L. E. et al.

LIVIN, E., see Noble, J. et al. LIYANAGE, B., see SEWELL, J. R. et al.

LIYANAGE, S. P., see Ansell, B. M. et al.

LLOYD-JONES, K., see COATES, C. L. et al. LOCKIE, L. M., see BLECHMAN, W. et al.

Loonen, E. M. Van Den Berg, see Van Den Berg-Loonen, E. M.

Loudon, M., see Schorn, D. et al.

Lovell, C. R., and Jayson, M. I. V.: Joint involvement in systemic sclerosis, 292, P.

LOVELL, D., see Blendis, L. M. et al.

Lovins, R. E., see Bresnihan, B. et al. Low back pain and HLA B27, 485, P.

research, Volvo awards, 202

Lowe, J. R., PICKUP, M. E., DIXON, J. S., LEATHAM, P. A., RHIND, V. M., WRIGHT, V., and DOWNIE, W. W.: Gamma glutamyl transpeptidase levels in arthritis: a correlation with clinical and laboratory indices of disease activity, 428

LOWE, J. R., see also PICKUP, E. et al. Lupus erythematosus, systemic, avascular necrosis of bone in, 490, P. CNS involvement, brain scan diagnosis, 357 circulating immune complexes in, longitudinal studies, 570, P. 15 oxygen-brain scanning in, 290, P. placenta in, immunological studies, 129 prospective analysis, 121, 284, P. pulmonary involvement, 536 repeated abortions, and thrombocytopenia: case report, 476 spontaneous abortion in, association with trophoblast-reactive lymphocytotoxic antibodies, 285, P. type Concornavirus studies, II. Attempted detection by viral RNA-dependent DNA polymerase assay, 225, III. Isolation of a putative retravirus by triple cell fusion, 234 Lymphocyte(s) response, mixed, diminished, in ankylosing spondylitis, 293, P. in rheumatoid arthritis, II. Antibody-mediated and mitogen-induced lymphocyte cytotoxicity in synovial fluid and peripheral blood, 410 longitudinal study of in vitro tests for, 416 uptake of 123I-heat aggregated human IgG by Fc-receptor bearing lymphocytes, 343 viral interference assays, 291, P. vitreous humour, and Klebsiella/Enterobacter microorganisms. crossreactivity:

in rheumatoid arthritis, II. Antibody-mediated and mitogen-induced lymphocyte cytotoxicity in synovial fluid and peripheral blood, 410
 — longitudinal study of in vitro tests for, 416
 — uptake of 123 I-heat aggregated human IgG by Fc-receptor bearing lymphocytes, 343
 — viral interference assays, 291, P.
 — vitreous humour, and Klebsiella/Enterobacter microorganisms, crossreactivity: possible mechanism for uveitis and ankylosing spondylitis, 569, P.
 MCCALLUM, M., see BULGEN, D. et al.
 MCCONKEY, B., see CONSTABLE, T. J. et al.
 MCCORMICK, J. N., DUTHIE, J. J. R., GERBER, H., HART, H., BAKER, S., and MARMION, B. P.: Rheumatoid polyarthritis after rubella: case report, 266
 — see also GRENNAN, D. M. et al.

McDevitt, C. A., Billingham, M. E. J., and Muir, H.:
A defect in proteoglycan aggregates in early
experimental osteoarthrosis, 484, P.
McFarlane, I., see Fernandes, L. et al.
McFarlane, I. G., see Sullivan, S. et al.
McHardy, G. J. R., and MacNicol, M. F.: Exercise
testing before and after hip arthroplasty, 482, P.
McIntosh arthroplasty of the knee in RA, 295, P.
MacIntosh, P., see Johns, P. et al.

McNaughton, D. C., see Shadworth, M. F., and McNaughton, D. C. MacNicol, M. F., see McHardy, G. J. R., and

MACNICOL, M. F. MAINI, R. N., see GRIFFITHS, I. D. et al. KEAT, A. C. et al.

MAJEED, H. A., and KVASNICKA, J.: Juvenile rheumatoid arthritis with cardiac tamponade: case report, 273 MAJOR, G., see ANSELL, B. M. et al.

Manicourt, D., Brauman, H., and Orloff, S.: Plasma and urinary levels of β2 microglobulin in rheumatoid arthritis, 328 Manzione, A., see Cossermelli, W. et al. Maoris, gout in, prospective study, 466

Marks, J. S., Palmer, M. K., Burke, M. J., and Smith, P.: Observer variation in the examination of knee joints, 376

— STEWART, I. M., and HARDINGE, K.: Primary osteoarthrosis of hips and nodal arthritis, 570, P. MARKS, R., see DAVIES, M. G. et al.

MARMION, B. P., see McCormick, J. N. et al.

MAROUDAS, A., see URBAN, J. P. G., and MAROUDAS, A.

MARTIN, T. J., see HOSKING, D. J. et al. MASHBURN, H., see YEATTS, R. P. et al.

MATEJCZYK, M. B., see Greenwald, A. S., and Матејсzyk, M. B.

MATHEWS, J. A., see ANSELL, B. M. et al. SEIFERT, M. H. et al.

MATTHEWS, S. A., see GUMPEL, J. M., and MATTHEWS, S. A.

MAVRIKAKIS, M., see KENNEDY, A. C. et al. MEIJERS, K. A. F., see DEKKER-SAEYS, B. J. et al.

Metacarpo-phalangeal joint synovectomy in rheumatoid arthritis, 4-year review, 487, P.

Metal sensitivity with hinge arthroplasty of the knee, 373, 488, P.

Methotrexate, intra-articular, in rheumatoid and psoriatic arthritis, 351

MEUWISSEN, S. G. M., DEKKER-SAEYS, B. J., AGENANT, D., and TYTGAT, G. N. J.: Ankylosing spondylitis and inflammatory bowel disease, I. Prevalence of inflammatory bowel disease in patients suffering from ankylosing spondylitis, 30

- see also DEKKER-SAEYS, B. J. et al.

Microglobulin, β2, plasma and urinary levels in rheumatoid arthritis, 328

Middle ear function in rheumatoid arthritis, 522

MIGONE, N., MODENA, V., DANEO, V., CARBONARA, A. O., and CEPPELLINI, R.: Sacroiliitis and HLA. A clinical and genetical study, 513

see also MODENA, V. et al.

MILNE, N., see TAN, R. F. et al.

Mitochondrial oxidative activity in human rheumatoid synovial lining cells, 548

Mixed connective tissue disease, arthritis of, 397

MODENA, V., MIGONE, N., DANEO, V., CARBONARA, A. O., DI VITTORIO, S., and VIARA, M.: Spondylodiscitis and ankylosing spondylitis: HLA typing and nosological implications, 510

— see also Migone, N. et al. Moffat, D. A., see Rosenberg, J. N. et al.

Moll, J. M. H.: Preprandial portraits. A caricature survey of recent Heberden Presidents, 286, P.

Moran, F., see Grennan, D. M. et al.

MORGAN, G., see BOSSINGHAM, D. H. et al.

Morley, J., see Sturge, R. A. et al.

Morphea, myopathy in, 286, P.

MORRIS, I. M., and EADE, A. W. T.: Pyogenic arthritis as a complication of rheumatoid disease: the importance of the infected foot, 294, P.

Mowat, A. G.: Neutrophil chemotaxis in rheumatoid arthritis, 1

 Neutrophil chemotaxis in ankylosing spondylitis, Reiter's disease, and polymyalgia rheumatica, 9 Mowat, A. G., Spriggs, A., and Boddington, M.: The diagnostic value of 'Reiter's cells', 489, *P*.

—— see also Bird, H. A. et al. Schorn, D. et al.

Spriggs, A. I. et al.
Muir, H., see McDevitt, C. A. et al.
Mukherjee, R., see Bentley, G. et al.
Multz, C., see Blechman, W. et al.

MUNTHE, E., see FYRAND, O. et al.

HØYERAAL, H. M. et al.

Mycoplasma pneumoniae, isolation from synovial fluid
of hypogammaglobulinaemic patients with inflammatory polyarthritis, 180

Myelomonocytic leukaemia, chronic, bone pains, treated by cytosine arabinoside: correspondence, 299

Myelotoxicity of D-penicillamine, 567, P. Myopathy in morphea, 286, P.

Naprosyn and Butacote, comparative study in ankylosing spondylitis, 436

Naproxen, in ankylosing spondylitis, double-blind trial, 85

— and Indomethacin suppositories in rheumatoid arthritis treatment, 370

— in osteoarthritis, double-blind crossover trial, 80 NATVIG, J. B., see HØYERAAL, H. M. et al.

Neck movements in ankylosing spondylitis, response to physiotherapy, 64

Necrosis, avascular, of bone in SLE, 490, P.

Neutropenia during treatment of rheumatoid arthritis with levamisole, 366

Neutrophil chemotaxis in ankylosing spondylitis, Reiter's disease, and polymyalgia rheumatica, 9

— in rheumatoid arthritis, effect of D-penicillamine, gold salts, and levamisole, 1

NEWMAN, P., see PATERSON, J. et al.

NICOL, A. C., see SOUTAR, W. A. et al.

NILSEN, K. H., and JAYSON, M. I. V.: Skin microcirculation in systemic sclerosis, 486, P.

Nitrolube tetrazolium test in psoriatic arthritis, rheumatoid arthritis, and osteoarthritis, 363

NKWAZI, G. C., see KEAT, A. C. et al.

Noble, J., Jones, A. G., Davis, M. A., Sledge, C. B., Livin, E., and Kramer, R.: Leakage of radioactivity and particle systems from a synovial joint studied with a gamma camera. 488, P.

 SLEDGE, C. B., and HNATOWICH, D. J.: The development of a new system for radiation synovectomy, 488, P.

Nobre, M. R., see Cossermelli, W. et al.

Nodular regenerative hyperplasia, and oesophageal variceal bleeding in Felty's syndrome, 183

Nuki, G., see Davies, M. G. et al.

PRITCHARD, M. H., and NUKI, G. THOMAS, A. L. et al.

Nurses, teaching rhematology to, 385

Obituary, Jacques Forestier, 388

O'CONNELL, D. J., see BENNETT, R. M., and O'CONNELL, D. J.

O'DRISCOLL, S. L., JAYSON, M. I. V., and BADDELEY, H.: Neck movements in ankylosing spondylitis and their responses to physiotherapy, 64

Oesophageal variceal bleeding in Felty's syndrome associated with nodular regenerative hyperplasia, 183

Oligoarthritis, persistent yet reversible asymmetric, HL (B)27 in, 285, P.

OLIVER, M., see Bresnihan, B. et al. ORLOFF, S., see Manicourt, D. et al.

ORME, M. L. E., BABER, N., HALLIDAY, L. D. C., KEENAN, J., SIBEON, R., VANDENHEUVEL, W., and LITTLER, T.: Indomethacin in rheumatoid arthritis: clinical and biochemical effects and pharmaco-kinetics in responders and non-responders, 575, P.

Osteoarthritis, calcific deposits, radiological study, 571, P.

— inflammatory polyarthritis in, 57, P.

— naproxen in, double-blind crossover trial, 80

- sulindac, drug trial, 89

— synovial fluid copper and related variables, 71 Osteoarthrosis and chondrocalcinosis, joint hyper-

mobility leading to, 203, 481, P.

experimental, early, defect in proteoglycan aggre-

gates in, 484, P.
gamma glutamyl transpeptidase levels, 428

— nitroblue tetrazolium test, 363

— patello-femoral, and mechanical stress, 486, P. primary, hips, and nodal arthritis, 570, P.

¹⁵Oxygen-brain scanning in SLE, 290, *P*.

Pain, knee, treatment by reduction of intraosseous hypertension, 481, P.

— low back, and HLA B27, 485, P. — rating scales, 378

PALMER, M. K., see MARKS, J. S. et al.

PANAYI, G. S., see Corrigall, V., and Panayi, G. S. Laurent, M. R., and Panayi, G. S. Unger, A., and Panayi, G. S. Wooley, P. H., and Panayi, G. S.

Panhellenic Congress of Rheumatology, VI, October 5-7, 1978, Athens, notice, 104

PARK, J. R., and HAZLEMAN, B. L.: Immunological and histological study of temporal arteries, 238

PARNHAM, M. J., BONTA, I. L., and ADOLFS, M. J. P.: Cyclic AMP and prostaglandin E in perfusates of rat hind paws during the development of adjuvant arthritis, 218

— see Bonta, I. L. et al.

PASTOR, E. H., see COSSERMELLI, W. et al.

Patello-femoral osteoarthrosis, and mechanical stress, 486, P.

 relationships, dynamic assessment, variations found in chondromalacia patellae, 485, P.

PATERSON, J., WATSON, W. S., TEASDALE, E., EVANS, A. L., NEWMAN, P., JAMES, W. B., and PITKEATHLY, D. A.: Assessment of rheumatoid inflammation in the knee joint: a reappraisal, 48

PATON, A., see CONSTABLE, T. J. et al. PAUL, J. P., see SOUTAR, W. A. et al. PAUL, W., see STURGE, R. A. et al. PEGRUM, G. D., see KEAT, A. C. et al.

PELTIER, A. P., see GAUDREAU, A. et al.

p-penicillamine and alclofenac, in rheumatoid arthritis, comparative trial, 93

- causing cholestatic jaundice: case report, 98
- effect on collagen synthesis, man, 490, P.

- myelotoxicity, 567, P.

- effect on neutrophil chemotaxis in rheumatoid arthritis, 1
- in RA, antinuclear factor as prognostic indicator, 291, P.
- and immunoglobin A deficiency, 289, P.
- and gold proposed mode of action in rheumatoid arthritis based on synovial fluid analysis, 493, 566, P.
- in RA, reintroduction after it has induced proteinuria, 566, P.
- ——— study of dosage, withdrawals, adverse effects, 288, P.
- Percy, J. S., Davis, P., Russell, A. S., and Brisson, E.: A longitudinal study of *in vitro* tests for lymphocyte function in rheumatoid arthritis, 416
- and RUSSELL, A. S.: Myopathy in morphea, 286, *P.* Periarticular structures, synovial origin, 286, *P.*

PERSELLIN, R. H., see COHEN, M. J. et al.

Persistent yet reversible asymmetric oligoarthritis, HLA(B)27 in, 285, P.

PETERS, D. K., see PINCHING, A. J. et al.

PETERS, J., see SIKORSKI, J. M. et al.

Phenylbutazone, in ankylosing spondylitis, double-blind trial, 85

PHILIPS, I., see SEIFERT, M. H. et al.

- PHILLIPS, P. E., and HARGRAVE-GRANDA, R.: Type C oncornavirus isolation studies in systemic lupus erythematosus, II. Attempted detection by viral RNA-dependent DNA polymerase assay, 225
- SELLERS, S. A., and COTRONEI, S. L.: Type C oncornavirus isolation studies in systemic lupus erythematosus. III. Isolation of a putative retravirus by triple cell fusion, 234

Phospholipids, altered, in rheumatoid synoviocytes, human, 24

Phytohaemagglutinin and K-cell cytotoxicity by mononuclear cells from inflammatory synovial fluids, 289. P.

PICKUP, E., RECORD, C. O., FARAH, F., LOWE, J. R., DIXON, J. S., and DOWNIE, W. W.: Prednisolone absorption in patients with gastro-intestinal disease, 575, P.

---- see also Downie, W. W. et al.

PINCHING, A. J., HUGHES, G. R. V., TRAVERS, R., PETERS, D. K., and JONES, T.: 15 Oxygen-brain scanning in SLE, 290, P.

PINKHAS, J., see ASHEROV, J. et al.

PITKEATHLY, D. A., see PATERSON, J. et al.

Placenta in SLE, immunological studies, 129

POLDERMAN, J., see BERGHS, H. et al. REMANS, J. et al.

Polyarthritis, inflammatory, isolation of *Mycoplasma* pneumoniae from synovial fluid, 180

—— in osteoarthritis, 571, P.

- rheumatoid, after rubella: case report, 266

Polymyalgia rheumatica, diagnostic criteria, 568, P.

- meutrophil chemotaxis, 9

'Polymyalgic' rheumatoid arthritis, joint amyloid presenting as: case report, 479

Polymyositis in Chagas's disease: case report, 277

Coxsackie B neutralisation titres in, 287, P.

POPPLE, A. W., see GIRGIS, F. L. et al.

Porous implant systems, mechanical and microangiographic analysis, 483, P.

Portraits, caricature survey of recent Heberden Presidents, 286, P.

Poston, R. N., see Corrigall, V. et al.

Potassium and uric acid, relationship between in normal subjects, 333

Prednisolone absorption in gastro-intestinal disease, 575, P.

Presidents, Heberden, caricature survey, 286, P.

Pressure on foot, in fashion shoes, 483, P.

PRIOR, I. A. M., see BRAUER, G. W., and PRIOR, I. A. M. PRITCHARD, M. H., JESSOP, J. D., TRENCHARD, P. M., and WHITTAKER, J. A.: Systemic lupus erythematosus, repeated abortions, and thrombocytopenia: case report, 476

— and Nuki, G.: Gold and penicillamine: a proposed mode of action in rheumatoid arthritis, based on synovial fluid analyses, 493, 566, P.

PRIZE, III Alessandro Robecchi International Prize, 396
Proceedings, Heberden Society, Clinical Meetings,
November, 1977, 284; combined meeting with
Section of Rheumatology and Rehabilitation of
the Royal Society of Medicine and the British
Association of Rheumatology and Rehabilitation,

October 1977, 290

— — combined meeting with the British Orthopaedic Research Society, London, March

1978, 481

Prostaglandin E and cyclic AMP in perfusates of rat hind paws during development of adjuvant arthritis, 218

— E₁ and theophylline as inhibitors of adjuvantinduced arthritis syndrome, rats, 212

- production in arthritis, 315

Prostheses, Silastic, in rheumatoid hand, 5-year followup, 255, 295, P.

Protein, total, synovial fluid, in rheumatoid and osteoarthritis, 71
Proteinuria, re-introduction of penicillamine in RA after

it has induced, 566, P.

— tubular and glomerular, in RA, 567, P.

Proteoglycan aggregates, defect in early experimental osteoarthrosis, 484, P.

Protrusio acetabuli, primary, familial, 53

Psoriatic arthritis, intra-articular methotrexate, 351

— nitroblue tetrazolium test, 363
 — other rheumatic diseases and non-rheumatic diseases, finger nail abnormalities, 568, P.

Pulmonary involvement in SLE, 536

Pyogenic arthritis, as complication of rheumatoid disease, importance of infected foot, 294, P.

Pyrexia of unknown origin, ankylosing spondylitis presenting as, 294, *P*.

Pyrophosphate arthropathy in hypophosphatasia, 481, *P*.

596 Index	
Radiation synovectomy, development of new system, 488, P. and leakage of radioactivity and particle systems from a joint studied with a gamma camera,	Rheumatoid arthritis cyclophosphamide regimens, combined clinical and immunological assessment, 288, P. distribution of gold in plasma fractions during
488, P.	chrysotherapy, 292, P.
Radioactivity leakage from joint studied with a gamma	examination of complement C3 metabolism in,
camera, and radiation synovectomy, 488, P.	using 2-dimensional immunoelectrophoresis, 18
Radioisotope scanning using a gamma camera, 76	gamma glutamyl transpeptidase levels, 428
RAJAH, S. M.: Thrombocytosis in rheumatoid arthritis:	immune complexes circulating significance of
correspondence, 299	level of measured by the (125I)-Clq binding test,
RAMSDEN, R. T., see ROSENBERG, J. N. et al.	570, P.
RASKER, J. J., and COSH, J. A.: Radiological study of	responses to salivary and bile antigens,
cervical spine and hand in patients with rheumatoid	287, P.
arthritis of 15 years duration: an assessment of	immunodiffusion studies on synovial fluid,
the effects of corticosteroid treatment, 529	reaction of fibrinogen with streptococcal extract,
RAWI, Z. S. AL-, see AL-RAWI, Z. S.	339
RECORD, C. O., see PICKUP, E. et al.	immunoglobulin A ₁ and A ₂ in serum and
Rehabilitation of the disabled, Third Strathclyde Seminar,	synovial fluid, 518
August 8-11 1978, 202	—— impairment of lachrymal and salivary secretion,
'Reiter's' cells, diagnostic value, 489, P.	164 — indomethacin, clinical and biochemical effects
— disease, joint fluid cytology, 557	and pharmacokinetics in responders and non-
—— neutrophil chemotaxis, 9	responders, 575, P.
REMANS, J., BERGHS, H., DRIESKENS, L., KIEBOOMS, L.,	
and Polderman, J.: Proximal interphalangeal	intra-articular methotrexate, 351 juvenile, see Juvenile rheumatoid arthritis
arthroscintigraphy in rheumatoid arthritis, 440	knee arthroplasty, 295, P.
— see also Berghs, H. et al.	lymphocytes II. Antibody-mediated and mito-
Renal function, and azapropazone, 294, P. Rennie, J. A. N., see Capell, H. et al.	gen-induced lymphocyte cytotoxicity in synovial
RESNICK, D.: Subtle spine abnormalities in patients with	fluid and peripheral blood, 410
back pain: fracture vs. congenital anomaly:	— — function in, longitudinal study of in
correspondence, 577	vitro tests for, 416
Thoracolumbar spine abnormalities in recumatoid	uptake of ¹²⁵ I-HAGG, 343 viral interference assays, 291, <i>P</i> .
arthritis: correspondence, 389	— — wirai interference assays, 291, P. — metacarpo-phalangeal joint synovectomy in,
REVELL, P. A., see VERNON-ROBERTS, B. et al.	4-year review 487, P.
REVLEM, E., see HØYERAAL, H. M. et al.	- middle ear function 522
Revue du rhumatisme et des maladies ostéo-articulaires,	— mode of action of gold and penicillamine,
English edition, notice, 106	based on synovial fluid analysis, 493, 566, P.
REYNOLDS, P., see El-Ghobarey, A. et al.	— nitroblue tetrazolium test, 363
Rheumatic arthritis, cause of death in, 569, P.: during	— neutrophil chemotaxis, effect of D-penicilla-
treatment with azathioprine, 569, P.	mine, gold salts and levamisole, I
— diseases, finger nail abnormalities, comparative	— patterns of hip involvement, 293, P.
studies, 568, <i>P</i> . — disorders in primary biliary cirrhosis, 42	— — plasma and urinary levels of β2 microglobulin
— manifestations of chronic bleeding disorders in	in, 328 —— 'nolymyalgic' joint amyloid presenting as:
children, 286, P.	'polymyalgic', joint amyloid presenting as: case report, 479
Rheumatism Handbook, of the International League	——————————————————————————————————————
against Rheumatism, VI edition, 1977, notice, 106	——————————————————————————————————————
—— in retrospect: correspondence, 198	in, 244
- Revue du rhumatisme et des maladies ostéo-	serum copper and related variables, 67,
articulaires, English edition, notice, 106	correspondence, 391
Rheumatoid arthritis and airways obstruction, 574, P.	sulindac, drug trial, 89
alclofenac and D-penicillamine, comparative	synovial fluid copper and related variables, 71
trial, 93	- treatment Depometer and Fritain 169
α_1 -antitrypsin phenotypes in, 285, P .	controlled trial in, 5/4, P.
— assessment of non-steroidal anti-inflammatory	——————————————————————————————————————
analgesics in, 576, P. ———————————————————————————————————	studies, 292, P. ————————————————————————————————————
	by Naproxen and Indomethacin sup-
collagen antibodies in, 573, P.	positories, 370
contagen antibodies in, 373, 7.	— — with D-penicillamine, antinuclear factor
volvement, 473	as prognostic indicator, 291, P.

Rheumatoid arthritis penicillamine treatment, study of dosage, withdrawals, adverse effects, 288, P. or gold, immunoglobulin A deficiency in, 289, P. re-introduction, after induced proteinuria, 566, P. ** om-technetium arthroscintigraphy, proximal interphalangeal, 440 thoracolumbar spine abnormalities: correspondence, 389 thrombocytosis: correspondence, 299 tubular and glomerular proteinuria, 567, P. - disease, pyogenic arthritis complicating, importance of infected foot, 294, P. factor (antigammaglobulin) activity of human IgG subclasses, 12 inflammation, in knee joint, assessment, 48 soluble and insoluble immune complexplatelet interactions, 421 polyarthritis after rubella: case report, 266 synovial cells in culture produce a growth inhibitor,

synovium, studies with antiserum raised to carcino-embryonic antigen from, 573, P.
 see also Synovial fluid
 Rheumatology in Jamaica—3 years' experience, 286, P.

lining cells, mitochondrial oxidative activity in,

tissue, effect of zinc on alkaline phosphatase

Rheumatology in Jamaica—3 years' experience, 286, P.
——Panhellenic Congress, VI, October 5-7, 1978,
Athens, notice, 104
——Register of events, 1978, 296

— 12th Spanish Congress, May 18–20, 1978, 202
— spinal column, Second Prague Symposium, second date, 591

- teaching to nurses, 385

548

activity, 552

RHIND, V. M., see Downie, W. W. et al. Lowe, J. R. et al.

RICHARDS, A. J.: Cardiac tamponade in juvenile rheumatoid arthritis: correspondence, 492

RIDGEWAY, G., see KEAT, A. C. et al.

RING, E. F. J., see BIRD, H. A., and RING, E. F. J. BIRD, H. A. et al.

RITLAND, S., see BLENDIS, L. M. et al.

ROBERTS, B. VERNON-, see VERNON-ROBERTS, B. ROBERTS, D. F., see DAYMOND, T. J. et al.

ROBERTS, M., see LAMBERT, J. R. et al.

ROBERTS, S., see LEWIS, P. et al.

ROBINSON, D. TAYLOR-, see TAYLOR-ROBINSON, D.

ROBINSON, R. G., see BURRY, H. C. et al.

ROMAN, V., see BURKE, M. J. et al.

ROONEY, P. J., DICK, W. C., IMRIE, R. C., TURNER, D., BUCHANAN, K. D., and ARDILL, J.: On the relationship between gastrin, secretin, gastric secretion, and adjuvant arthritis in rats, 432

- see also CAPELL, H. et al.

ROSENBERG, J. N., MOFFAT, D. A., RAMSDEN, R. T., GIBSON, W. P. R., and BOOTH, J. B.: Middle ear function in rheumatoid arthritis, 522

Rubella, rheumatoid polyarthritis after: case report, 266

RUSSELL, A. S., see PERCY, J. S., and RUSSELL, A. S. PERCY, J. S. et al.

RYCKEWAERT, A., see GAUDREAU, A. et al.

RYLANCE, H. J.: Immunodiffusion studies on synovial fluid from patients with rheumatoid arthritis: the reaction of fibrinogen with a streptococcal extract, 339

Sacroiliac joint scintigraphy with **om_technetium pyrophosphate in sacroiliitis, 190

Sacroiliitis, assessment, in inflammatory bowel disease, 290, P.

--- and HLA, clinical and genetical study, 513

— prevalence in inflammatory bowel disease, 33 SAEYS-DEKKER, B. J., see MEUWISSEN, S. G. M. et al.

Salivary and lachrymal secretion, impairment, and cellular immune responses to salivary antigens in rheumatoid arthritis, 164

SALVESEN, C. F., see HØYERAAL, H. M. et al. SANDSTED, B., see HØYERAAL, H. M. et al.

SANY, J., see GAUDREAU, A. et al.

Schoenfeld, Y., see Asherov, J. et al.

SCHORN, D., BENTLEY, G., DEANE, G., and MOWAT, A. G.: Knee arthroplasty in rheumatoid arthritis, 295, P.

— FRANCIS, M. J. O., LOUDON, M., and MOWAT, A. G.: The effect of D-penicillamine on collagen synthesis in man, 491, P.

— see also Bossingham, D. H. et al. Sclerosis, systemic, joint involvement, 292, P. — and skin microcirculation, 486, P.

Scott, J., Dieppe, P. A., and Huskisson, E. C.: Continuous and intermittent levamisole. A controlled trial, 259

—— see also Huskisson, E. C., and Scott, J. Huskisson, E. C. et al.

Scott, J. R. R.: Pressures on the foot in fashion shoes, 483, P.

SCOTT, J. T., see GRIFFITHS, I. D. et al. KAY, A. G. L. et al.

KEAT, A. C. et al.

Scudder, P. R., Al-TIMIMI, D., McMurray, W., White, A. G., Zoob, B. C., and Dormandy, T. L.: Serum copper and related variables in rheumatoid arthritis 67

— McMurray, W., White, A. G., and Dormandy, T. L.: Synovial fluid copper and related variables in rheumatoid and degenerative arthritis, 71

SEEDHOM, B. B., TAKEDA, T., WRIGHT, V., and TSUBUKU, M.: Mechanical stress and patello-femoral osteoarthrosis, 486, P.

SEIFERT, M. H., MATHEWS, J. A., PHILIPS, I., and GARGAN, R.: Joint fluid lactic acid: a guide to infection, 489, P.

— see also Ansell, B. M. et al. Selby, C., see Coates, C. L. et al.

SELLERS, S. A., see PHILLIPS, P. E. et al.

SEWELL, J. R., CAMBRIDGE, G., YOUNG, A., TRAVERS,
R. L., and HUGHES, G. V. R.: Coxsackie B
neutralisation titres in polymyositis, 287, P.
LIYANAGE, B., and ANSELL, B. M.: Calcinosis in

juvenile dermatomyositis, 573, P.

Sexually acquired reactive arthritis, role of *Chlamydia* trachomatis and HLA B27, 287, P.

Shadforth, M. F., and McNaughton, D. C.: Examination of complement C3 metabolism in rheumatoid arthritis using 2-dimensional immunoelectrophoresis, 18

- see also Johns, P. et al.

SHAKIB, F., and STANWORTH, D. R.: Antigammaglobulin (rheumatoid factor) activity of human IgG subclasses, 12

SHEA, J., see HIRSCHOWITZ, D. et al.

SHIROMA, M., see Cossermelli, W. et al.

Shoes, fashion, and pressure on foot, 483, P.

Shoulder, frozen, immunological studies, 135

SIBEON, R., see ORME, M. L. E. et al.

SIKORSKI, J. M., WATT, I., and PETERS, J.: A dynamic assessment of patello-femoral relationships: variations found in chrondromalacia patellae, 485, *P.*

Silastic prostheses in rheumatoid hand, 5-year follow-up, 255, 295, P.

SIMMONDS, H. A., see GIBSON, T. et al.

SIMS-WILLIAMS, H., JAYSON, M. I. V., and BADDELEY, H.: Small spinal fractures in back pain patients, 262

Sjögren's syndrome, immune responses to salivary and bile antigens, 287, P.

— precipitating antibodies to cellular antigens in, 244

Skin microcirculation in systemic sclerosis, 486, P.

SLEDGE, C. B., see NOBLE, J. et al.

SMITH, A. U., see BENTLEY, G. et al.

SMITH, C. A.: Rheumatoid synovial cells in culture produce a growth inhibitor, 187

SMITH, M. A. FERGUSON-, see FERGUSON-SMITH, M. A.

SMITH, P., see MARKS, J. S. et al.

SMITH, W. E., see Brown, D. H. et al. SNAITH, M. L., see Webley, M. et al.

Sodium aurothiomalate, effect on neutrophil chemotaxis in rheumatoid arthritis, 1

SOLUM, N. O., see FYRAND, O. et al.

Somatomedin activity in synovial fluid in joint diseases, 303

SOUTAR, W. A., NICOL, A. C., BERME, N., and PAUL, J. P.: A new approach to elbow arthroplasty, 490, P.

SPENCER, D., see EL-GHOBAREY, A. et al.

Spencer, D. G., Dick, H. M., Ferguson-Smith, M. A., El-Ghobarey, A. F., Dick, W. C.: Genotypic and phenotypic family studies of individuals homozygous and hererozygous for HLA B27, with and without ankylosing spondylitis, 485, P.

Spine (spinal) abnormalities, subtle, in back pain, fracture vs. congenital anomaly: correspondence, 577

fractures, small, in back pain patients, 262
 thoracolumbar, abnormalities, in rheumatoid arthritis: correspondence, 389

Spondylodiscitis and ankylosing spondylitis: HLA typing and nosological implications, 510

SPRIGGS, A., see MOWAT, A. G. et al.

Spriggs, A. I., Boddington, M. M., and Mowat, A. G.: Joint fluid cytology in Reiter's disease, 557

STANWORTH, D. R., see JOHNS, P. et al.

SHAKIB, F., and STANWORTH, D. R.

STEWART, I. M., see MARKS, J. S., et al.

Streptococcal extract reaction of fibrinogen with in synovial fluid in rheumatoid arthritis, immuno-diffusion studies. 339

STURGE, R. A., YATES, D. B., GORDON, D., FRANCO, M., PAUL, W., BRAY, A., and MORLEY, J.: Prostaglandin production in arthritis. 315

Sulindac, trials of a new anti-inflammatory drug, 89

SULLIVAN, S., FERNANDES, L., MCFARLANE, I. G., WOJCICKA, B., EDDLESTON, A. L. W. F., DONIACH, D., HAMILTON, E., and WILLIAMS, R.: Impairment of lachrymal and salivary secretion and cellular immune responses to salivary antigens in rheumatoid arthritis, 164

- see also Fernandes, L. et al.

SWANNELL, A. J., see COATES, C. L. et al.

EADE, A. W. T. et al.

TAYLOR-ROBINSON, D. et al.

Swimming, failure to influence adjuvant arthritis: correspondence, 104

Swinson, D., see Berry, H. et al.

SYLVESTER, B. S., see GALASKO, C. S. B., and SYLVESTER, B. S.

Synovectomy, metacarpo-phalangeal joint, in rheumatoid arthritis, 4-year review, 487, P.

radiation, development of new system, 488, P.

— and leakage of radioactivity and particle systems from a joint studied with a gamma camera, 488, P.

Synovial cells in organ culture, phagocytic activity, 490, P.

--- rheumatoid, cultures, 187

— cysts in juvenile rheumatoid arthritis: case report, 101

— enzymes, cartilage destruction by, in organ culture, 487, P.

— fluid analysis, and mode of action of gold and penicillamine in rheumatoid arthritis, 493, 566, P.

calcium phosphate crystals in, 572, P.
 copper and related variables in rheumatoid arthritis and degenerative arthritis, 71

- cytology, in Reiter's disease, 557

— fluid, IgA₁ and IgA₂ in, in rheumatoid arthritis and reactive synovitis, 518

— inflammatory, phytohaemagglutinin and Kcell cytotoxicity by mononuclear cells from, 289, P.

 isolation of Mycoplasma pneumoniae from hypogammaglobulinaemic patients with inflammatory polyarthritis, 180

 leucocyte counts, markedly raised, not associated with infectious arthritis in childhood, 404

 in rheumatoid arthritis, immunodiffusion studies, reaction of fibrinogen with streptococcal extract, 339

---- somatomedin activity in, joint diseases, 303

see also Rheumatoid synovium
origin of periarticular structures, 286, P.

— pathology in Behcet's syndrome, 139 Synoviocytes, rheumatoid, altered phospholipids in, human, 24 Synovitis, knee, measurement in assessment, 295, P.

— persistent, of knee, repeat intra-articular injection of yttrium 90 colloid, 291, P.

— reactive, immunoglubulin A₁ and A₂ in serum and synovial fluid. 518

Systemic lupus erythematosus, see Lupus erythematosus, systemic

TAKEDA, T., see SEEDHOM, B. B. et al.

TAN, R. F., GLADMAN, D. D., UROWITZ, M. B., and MILNE, N.: Brain scan diagnosis of central nervous system involvement in systemic lupus erythematosus, 357

TAYLOR, A. R., see HILL, H. et al.

Taylor-Robinson, D., Gumpel, J. M., Hill, A., and Swannell, A. J.: Isolation of Mycoplasma pneumoniae from the synovial fluid of a hypogammaglobulinaemic patient in a survey of patients with inflammatory polyarthritis, 180

TEAPE, J., see Brown, D. H. et al. TEASDALE, E., see PATERSON, J. et al.

99m-Technetium, arthroscintigraphy, proximal interphalangeal, in rheumatoid arthritis, 440

—— pyrophosphate, scintigraphy, diagnostic value in sacroiliitis, 190

TEMPLETON, J. S.: Azapropazone and renal function, 294, P.

Temporal arteries, immunological and histological study, 238

Tensile fatigue properties of articular cartilage, 58

Theophylline and PGE₁ as inhibitors of adjuvantinduced arthritis syndrome, rats, 212

THOMAS, A. L., DAVIES, M., LISON, A., HOPKINS, M., ASSCHNER, A. W., and NUKI, G.: Tubular and glomerular proteinuria in patients with rheumatoid arthritis, 567, P.

THOMPSON, M., ANDERSON, M., and Wood, P. H. N.: The medical and social needs of disabled arthritics, 567, P.

 DAVISON, E. P., LAVELLE, M. I., and WEIGHTMAN,
 D.: Metacarpo-phalangeal joint synovectomy in rheumatoid arthritis: 4-year review, 487, P.
 see also DAYMOND, T. J. et al.

Thompson, R. A., see Johns, P. et al.

THOMSON, A. B. R., see Davies, P. et al.

Thoracolumbar spine abnormalities in rheumatoid arthritis: correspondence, 389

Thrombocytopenia, systemic lupus erythematosus and repeated abortions: case report, 476

Thrombocytosis in rheumatoid arthritis: correspondence, 299

Thrombosis, deep vein, and rheumatoid arthritis, 293, P. TICHÝ, M., see HRNČÍŘ, Z., and TICHÝ, M.

TIETJENS, B. R., HUNTINGDON, L. J., and KENDALL, J. P.: Kinematic assessment of knee joint stability, 487, P. TIMIMI, D. AL-, see AL-TIMIMI, D.

Transfer factor in juvenile rheumatoid arthritis, no effect by double-blind trial, 175

Transferrin, synovial fluid, in rheumatoid and osteoarthritis, 71

TRAVERS, R., see PINCHING, A. J. et al.

TRAVERS, R. L., see SEWELL, J. R. et al.

TRENCHARD, P. M., see PRITCHARD, M. H. et al. TRIBE, C. R., see BIRD, H. A. et al.

TSUBUKU, M., see SEEDHOM, B. B. et al.

Tucker, A. K., Cannell, L. B., Dieppe, P. A., and Huskisson, E. C.: Calcific deposits in osteo-arthritis. A radiological study, 571, P.

TURNER, D., see ROONEY, P. J. et al.

TURNER, R., see YEATTS, R. P. et al. TWEED, J. M., see BURRY, H. C. et al.

Type C oncornavirus isolation studies in SLE, II.

Attempted detection by viral RNA-dependent
DNA polymerase assay, 225, III. Isolation of a
putative retravirus by triple cell fusion, 234

TYTGAT, G. N. J., see DEKKER-SAEYS, B. J. et al. MEUWISSEN, S. G. M. et al.

UNGER, A., and PANAYI, G. S.: Studies with an antiserum raised to carcinoembryonic antigen (CEA) from rheumatoid synovium, 573, P.

--- see also Corrigall, V. et al.

Urban, J. P. G., and Maroudas, A.: The swelling of the intervertebral disc, 489, P.

Uric acid and potassium, relationship between in normal subjects, 333

UROWITZ, M. B., see TAN, R. F. et al.

Uveitis and ankylosing spondylitis, and vitreous humour, human lymphocytes and Klebsiella/Enterobacter microorganisms, crossreactivity, 569, P.

Van Den Berg-Loonen, E. M., see Dekker-Saeys, B. J. et al.

VAN DER KORST, J. K., see VAN GERWEN, F. et al.

VAN GERWEN, F., VAN DER KORST, J. K., and GRIBNAU, F. W. J.: Double-blind trial of naproxen and phenylbutazone in ankylosing spondylitis, 85

VAN HEERDE, P., see DE HAAS, W. D. H., and VAN HEERDE, P.

VAN VLIET, L., see BONTA, I. L. et al.

VANDENHAUVEL, W., see ORME, M. L. E. et al.

VENN, M. F.: Variation of chemical composition with age in human femoral head cartilage, 168

Vernon-Roberts, B., Barnes, C. G., and Revell, P. A.: Synovial pathology in Behcet's syndrome, 139, 286, P.

VESIN, P., see BLENDIS, L. M. et al.

VIARA, M., see MODENA, V. et al.

Viral interference assays in RA lymphocytes, 291, P.

Visual analogue scale, in assessment of grip strength, 382 Vitreous humour, Klebsiella/Enterobacter microorganisms and human lymphocytes crossreactivity, possible mechanism for uveitis and ankylosing spondylitis, 569, P.

VLIET, L. VAN, see VAN VLIET, L.

Volvo awards for low back pain research, 202

WALKER, G., see COATES, C. L. et al. WARD, A., see WEBLEY, M. et al. WARD, D. J., see LEA, D. J., and WARD, D. J.

WARD, M., see BULGEN, D. et al.

Warren, R. E., see Brewerton, D. A., and Warren, R. E.

Water immersion, diuretic and natriuretic effect and balneotherapy, 567, P.

WATSON, W. S., see PATERSON, J. et al. WATT, I., see SIKORSKI, J. M. et al.

Webley, M., Geddes, D., Emerson, P. A., and Brewerton, D. A.: Rheumatoid arthritis and airways obstruction, 574, P.

— WARD, A., and BREWERTON, D. A.: x₁-Anti-trypsin phenotypes in rheumatoid arthritis and fibrosing alveolitis, 285, P.

— KATES, A., and SNAITH, M. L.: Metal sensitivity in patients with a hinge arthoplasty of the knee, 373, 488, P.

WEE, S. L., see DAYMOND, T. J. et al.

WEIGHTMAN, B., CHAPPELL, D. J., and JENKINS, E. A.:
A second study of tensile fatigue properties of human articular cartilage, 58

WEIGHTMAN, D., see THOMPSON, M. et al. WELSH, C. J., see ANDREWS, B. A. et al. WHALEY, K., see ALSPAUGH, M. A. et al.

WHITE, A. G., see SCUDDER, P. R. et al.

WHITTAKER, J. A., see PRITCHARD, M. H. et al.

WILKINS, M., see JESSOP, J. D. et al.

WILLIAMS, B. D., see CORRIGALL, V. et al.

WILLIAMS, G. T., JOHNSON, S. A. N., DIEPPE, P. A., and HUSKISSON, E. C.: Neutropenia during treatment of rheumatoid arthritis with levamisole, 366

WILLIAMS, H. SIMS-, see SIMS-WILLIAMS, H. WILLIAMS, R., see CLARKE, A. K. et al. FERNANDES, L. et al.

FERNANDES, L. et al.
SULLIVAN, S. et al.
AMSON J. Changes in the conjunct

WILLIAMSON, J.: Changes in the conjunctiva with age and in keratoconjunctivitis sicca, 287, P.

WILLIAMSON, N. 500 JUNES P. et al.

WILLIAMSON, N., see Johns, P. et al.

WILLIAMSON, N. R., see EADE, A. W. T. et al.

WILLKENS, R., see BLECHMAN, W. et al.

WILLOUGHBY, D. A., see DIEPPE, P. A. et al.
WILSON, W. A., and HUGHES, G. R. V.: Rheumatology in Jamaica—3 years' experience, 286, P.

WINFIELD, J., and GUMPEL, J. M.: Repeat intra-articular injection of yttrium 90 colloid in treatment of persistent synovitis of the knee, 291, P.

---- see also KIRWAN, J. R. et al.

WOJCICKA, B., see FERNANDES, L. et al. SULLIVAN, S. et al.

WOJTACHA, D., see Grennan, D. M. et al. WOOD, P. H. N., see BIRD, H. A. et al. THOMPSON, M. et al.

Woodrow, J. C., and Eastmond, C. J.: HLA B27 and the genetics of ankylosing spondylitis, 504

WOOLEY, P. H., and PANAYI, G. S.: Studies of lymphocytes in rheumatoid arthritis. I. Uptake of ¹²⁵I-heat aggregated human IgG by Fc-receptor bearing lymphocytes, 343

WRIGHT, V., and HOPKINS, R.: Teaching rheumatology to nurses, 385

—— see also Burke, M. J. et al.

Downie, W. W. et al.

EASTMOND, C. J. and WRIGHT, V.

EASTMOND, C. J. et al.

LAMBERT, J. R. et al.

LOWE, J. R. et al.

SEEDHOM. B. B. et al.

YATES, D. B., see STURGE, R. A. et al.

YEATTS, R. P., TURNER, R., COLLINS, R., KAUFMANN, J., and MASHBURN, H.: Soluble and insoluble immune complex-platelet interactions in rheumatoid inflammation, 421

Young, A., see SEWELL, J. R. et al.

Young, C. R., Ebringer, A., and Archer, J. R.: Immune response inversion after hyperimmunisation. Possible mechanism in the pathogenesis of HLA-linked diseases, 152

Young, M. H., see Jessop, J. D. et al.

Yttrium 90, colloid, repeat intra-articular injection in persistent synovitis of knee, 291, P.

- intra-articular, rabbits, 195

Zinc effect on alkaline phosphatase activity in rhematoid synovial tissue, 552

ZOOB, B. C., see SCUDDER, P. R. et al. ZUCKNER, J., see BALDASSARE, A. R. et al.





CONTENTS OF VOLUME 37

No. 1. FEBRUARY, 1978	
Neutrophil chemotaxis in rheumatoid arthritis. Effect of D-penicillamine, gold salts, and levamisole	4
A. G. Mowat Neutrophil chemotaxis in ankylosing spondylitis, Reiter's disease, and polymyalgia rheumatica	1
A. G. Mowat	9
Antigammaglobulin (rheumatoid factor) activity of human IgG subclasses F. Shakib and D. R. Stanworth	12
Examination of complement C3 metabolism in rheumatoid arthritis using 2-dimensional immunoelectrophoresis M. R. Shadforth and D. C. McNaughton	18
Altered phospholipids in human rheumatoid synoviocytes	10
B. Henderson, L. Bitensky, and J. Chayen	24
Ankylosing spondylitis and inflammatory bowel disease	
 Prevalence of inflammatory bowel disease in patients suffering from ankylosing spondylitis 	
S. G. M. Meuwissen, B. J. Dekker-Saeys, D. Agenant, and G. N. J. Tytgat	30
II. Prevalence of peripheral arthritis, sacroiliitis, and ankylosing spondy-	
litis in patients suffering from inflammatory bowel disease	
B. J. Dekker-Saeys, S. G. M. Meuwissen, E. M. Van Den Berg-	33
Loonen, W. H. D. De Haas, D. Agenant, and G. N. J. Tytgat III. Clinical characteristics and results of histocompatibility typing (HLA)	33
B27) in 50 patients with both ankylosing spondylitis and inflammatory	
bowel disease	
B. J. Dekker-Saeys, S. G. M. Meuwissen, E. M. Van Den Berg-	
Loonen, W. H. D. De Haas, K. A. F. Meijers, and G. N. J. Tytgat	36
Rheumatic disorders in primary biliary cirrhosis	
A. K. Clarke, R. M. Galbraith, E. B. D. Hamilton, and R. Williams	42
Assessment of rheumatoid inflammation in the knee joint	
J. Paterson, W. S. Watson, E. Teasdale, A. L. Evans, P. Newman,	40
W. B. James, and D. A. Pitkeathly	48
A family with primary protrusio acetabuli	FO
K. D'Arcy, B. M. Ansell, and E. G. L. Bywaters	53
A second study of tensile fatigue properties of human articular cartilage	58
B. Weightman, D. J. Chappell, and E. A. Jenkins	30
Neck movements in ankylosing spondylitis and their responses to physio-	
therapy S. L. O'Driscoll, M. I. V. Jayson, and H. Baddeley	64
Serum copper and related variables in rheumatoid arthritis	04
P. R. Scudder, D. Al-Timimi, W. McMurray, A. G. White, B. C. Zoob,	
and T. L. Dormandy	67
Synovial fluid copper and related variables in rheumatoid and degenerative	
arthritis	
P. R. Scudder, W. McMurray, A. G. White, and T. L. Dormandy	71
Rheumatoid arthritis in population samples in Iraq	
Z. S. Al-Rawi, A. J. Alazzawi, F. M. Alajili, and R. Alwakil	73
Radioisotope scanning using a gamma camera	
H. Berry, J. J. Barrett, A. Ford-Hutchinson, and E. B. D. Hamilton	76
Therapeutic value of arthroscopy	78
H A Rird and F F I Ring	78

Naproxen in osteoarthrosis. Double-blind crossover trial W. Blechman, R. Willkens, G. L. Boncaldo, R. T. Hoffmeister, L. M.	80
Lockie, and C. Multz Double-blind trial of naproxen and phenylbutazone in ankylosing spondylitis	
F. Van Gerwen, J. K. Van Der Korst, and F. W. J. Gribnau Sulindac. Trials of a new anti-inflammatory drug	85
E. C. Huskisson and J. Scott Alclofenac and D-penicillamine. Comparative trial in rheumatoid arthritis H. Berry, L. Fernandes, A. W. Ford-Hutchinson, S. J. W. Evans, and E. B. D. Hamilton	93
Cholestatic jaundice caused by D-penicillamine	98
D. Barzilai, G. Dickstein, R. Enat, H. Bassan, C. Lichtig, and B. Gellei Synovial cysts in juvenile rheumatoid arthritis	
A. Bamzai, M. Krieger, and R. R. Kretschmer Correspondence	101 104
Notes 104, Book reviews	106 105
BOOK TEVIEWS	100
No. 2 APRIL 4070	
No. 2. APRIL, 1978 Heberden Oration, 1977. Chronic arthritis in childhood	
B. M. Ansell	107
Systemic lupus erythematosus. A prospective analysis R. Grigor, J. Edmonds, R. Lewkonia, B. Bresnihan, and G. R. V. Hughes	121
Immunological studies of the placenta in systemic lupus erythematosus D. M. Grennan, J. N. McCormick, D. Wojtacha, M. Carty, and W. Behan	129
Immunological studies in frozen shoulder	135
D. Bulgen, B. Hazleman, M. Ward, and M. McCallum Synovial pathology in Behcet's syndrome	
B. Vernon-Roberts, C. G. Barnes, and P. A. Revell Sequential studies in ankylosing spondylitis. Association of Klebsiella pneumoniae with active disease	139
R. W. Ebringer, D. R. Cawdell, P. Cowling, and A. Ebringer Immune response inversion after hyperimmunisation. Possible mechanism	146
in the pathogenesis of HLA-linked diseases C. R. Young, A. Ebringer, and J. R. Archer	152
Detection of immune complexes in serum of patients with ankylosing spondy- litis	102
V. Corrigall, G. S. Panayi, A. Unger, R. N. Poston, and B. D. Williams Impairment of lachrymal and salivary secretion and cellular immune responses to salivary antigens in rheumatoid arthritis	159
S. Sullivan, L. Fernandes, I. G. McFarlane, B. Wojcicka, A. L. W. F. Eddleston, D. Doniach, E. Hamilton, and R. Williams	164
Variation of chemical composition with age in human femoral head cartilage M. F. Venn	168
No effect of transfer factor in juvenile rheumatoid arthritis by double-blind trial	
H. M. Hoyeraal, S. S. Froland, C. F. Salvesen, E. Munthe, J. B. Natvig, E. Kâss, P. Blichfeldt, T. M. Hegna, E. Revlem, B. Sandstad, and N. L. Hjort	175

Isolation of Mycoplasma pneumoniae from the synovial fluid of a hypo- gammaglobulinaemic patient in a survey of patients with inflammatory polyarthritis	
D. Taylor-Robinson, J. M. Gumpel, A. Hill, and A. J. Swannell Oesophageal variceal bleeding in Felty's syndrome associated with nodular	180
regenerative hyperplasia L. M. Blendis, D. Lovell, C. G. Barnes, S. Ritland, D. Cattan, and P. Vesin	183
Rheumatoid synovial cells in culture produce a growth inhibitor C. A. Smith	187
Diagnostic value of sacroiliac joint scintigraphy with 99 ^m technetium pyrophosphate in sacroiliitis	
H. Berghs, J. Remans, L. Drieskens, L. Kiebooms, and J. Polderman Intra-articular yttrium 90 in rabbits. Comparison of behaviour of various radiocolloids in rabbits and in man	190
J. M. Gumpel	195 198
Correspondence Book reviews	199
Notes	202
No. 3. JUNE, 1978	
Joint hypermobility leading to osteoarthrosis and chondrocalcinosis H. A. Bird, C. R. Tribe, and P. A. Bacon	203
Combination of theophylline and prostaglandin E, as inhibitors of the adjuvant-induced arthritis syndrome of rats	
I. L. Bonta, M. J. Parnham, and L. Van Vliet Cyclic AMP and prostaglandin E in perfusates of rat hind paws during the development of adjuvant arthritis	212
M. J. Parnham, I. L. Bonta, and M. J. P. Adolfs Type C oncornavirus isolation studies in systemic lupus erythematosus	218
II. Attempted detection by viral RNA-dependent DNA polymerase assay P. E. Phillips, and R. Hargrave-Granda	225
III. Isolation of a putative retravirus by triple cell function P. E. Phillips, S. A. Sellers, and S. L. Cotronei	234
Immunological and histological study of temporal arteries	
J. R. Park, and B. L. Hazleman	238
Precipitating antibodies to cellular antigens in Sjögren's syndrome, rheuma- toid arthritis, and other organ and non-organ-specific autoimmune diseases	
M. A. Alspaugh, W. W. Buchanan, and K. Whaley	244
Estimation of IgM rheumatoid factors by fluorimetry D. J. Lea, and D. J. Ward	247
Bone and joint changes in lower limb amputees	252
M. J. Burke, V. Roman, and V. Wright Experience with Silastic prostheses in the rheumatoid hand. A 5-year follow-up	232
A. G. L. Kay, J. V. Jeffs, and J. T. Scott	255
Continuous and intermittent levamisole. A controlled trial J. Scott, P. A. Dieppe, and E. C. Huskisson	259
Small spinal fractures in back pain patients	
H. Sims-Williams, M. I. V. Jayson, and H. Baddeley	262

*

Rheumatoid polyarthritis after rubella J. N. McCormick, J. J. R. Duthie, H. Gerber, H. Hart, S. Baker, and B. P. Marmion Juvenile rheumatoid arthritis with cardiac tamponade H. A. Majeed and J. Kvasnicka Polymyositis in Chagas's disease W. Cossermelli, H. Friedman, E. H. Pastor, M. R. Nobre, A. Manzione,	266 273
M. E. Camargo, and M. Shiroma Heberden Society Register of Events in Rheumatology Correspondence Book reviews	277 281 296 298 300
No. 4. AUGUST, 1978	
Somatomedin activity in synovial fluid from patients with joint diseases C. L. Coates, R. G. Burwell, K. Lloyd-Jones, A. J. Swannell, G. Walker, and C. Selby	303
Prostaglandin production in arthritis R. A. Sturge, D. B. Yates, D. Gordon, M. Franco, W. Paul, A. Bray, and J. Morley Clinical significance of antibodies to soluble extractable nuclear antigens	315
(anti-ENA) A. Gaudreau, B. Amor, M. F. Kahn, A. Ryckewaert, J. Sany, and A. P. Peltier	321
Plasma and urinary levels of β2 microglobulin in rheumatoid arthritis D. Manicourt, H. Brauman, and S. Orloff The relationship between uric acid and potassium in normal subjects	328
A. C. Kennedy, K. Boddy, P. C. King, J. Brennan, J. A. Anderson, and W. W. Buchanan Immunodifusion studies on synovial fluid from patients with rheumatoid	333
arthritis: the reaction of fibrinogen with a streptococcal extract H. J. Rylance	339
Studies of lymphocytes in rheumatoid arthritis. I. Uptake of 125I-heat aggregated human IgG by Fc-receptor bearing lymphocytes <i>P. H. Wooley and G. S. Panayi</i>	343
Studies on cold insoluble globulin. I. Concentrations in citrated plasma in rheumatic disorders O. Fryand, E. Munthe, and N. O. Solum	347
Intra-articular methotrexate. Clinical and laboratory study in rheumatoid and psoriatic arthritis	
G. H. Hall, B. J. M. Jones, A. C. Head, and V. E. Jones Brain scan diagnosis of central nervous system involvement in systemic lupus erythematosus	351
R. F. Tan, D. D. Gladman, M. B. Urowitz, and N. Milne Nitroblue tetrazolium test in psoriatic arthritis, rheumatoid arthritis, and osteoarthrosis	357
J. R. Lambert, M. Roberts, and V. Wright Neutropenia during treatment of rheumatoid arthritis with levamisole	363
G. T. Williams, S. A. N. Johnson, P. A. Dieppe, and E. C. Huskisson	366

Indomethacin and Naproxen suppositories in the treatment of rheumatoid arthritis	
H. Berry, D. Swinson, J. Jones, and E. B. D. Hamilton	370
Metal sensitivity in patients with a hinge arthroplasty of the knee M. Webley, A. Kates, and M. L. Snaith	373
Observer variation in the examination of knee joints	
J. S. Marks, M. K. Palmer, M. J. Burke, and P. Smith Studies with pain rating scales	376
W. W. Downie, P. A. Leatham, V. M. Rhind, V. Wright, J. A. Branco, and J. A. Anderson	270
The visual analogue scale in the assessment of grip strength	378
W. W. Downie, P. A. Leatham, V. M. Rhind, M. E. Pickup, and V. Wright	382
Teaching rheumatology to nurses	302
V. Wright and R. Hopkins Obituary	385
Correspondence	388
Book reviews Notes	389 396
No. 5. OCTOBER, 1978	
The arthritis of mixed connective tissue disease	207
R. M. Bennett and D. J. O'Connell Markedly raised synovial fluid leucocyte counts not associated with	397
infectious arthritis in children A. R. Baldassare, F. Chang, and J. Zuckner	404
Lymphocyte studies in rheumatoid arthritis. II. Antibody-mediated and	404
mitogen-induced lymphocyte cytotoxicity in synovial fluid and peripheral blood	
V. M. Corrigall and G. S. Panayi	410
A longitudinal study of <i>in vitro</i> tests for lymphocyte function in rheumatoid arthritis	
J. S. Percy, P. Davis, A. S. Russell, and E. Brisson	416
Soluble and insoluble immune complex-platelet interactions in rheumatoid inflammation	
R. P. Yeatts, R. Turner, R. Collins, J. Kaufmann, and H. Mashburn	421
Gamma glutamyl transpeptidase levels in arthritis: a correlation with clinical and laboratory indices of disease activity	
J. R. Lowé, M. E. Pickup, J. S. Dixon, P. A. Leatham, V. M. Rhind, V. Wright, and W. W. Downie	428
On the relationship between gastrin, gastric secretion, and adjuvant	420
arthritis in rats P. J. Rooney, W. C. Dick, R. C. Imrie, D. Turner, K. D. Buchanan, and	
J. Ardill	432
A comparative study of Butacote and Naprosyn in ankylosing spondylitis B. M. Ansell, G. Major, S. P. Liyanage, J. M. Gumpel, M. H. Seifert,	
J. A. Mathews, and C. Engler	436
Proximal interphalangeal arthroscintigraphy in rheumatoid arthritis J. Remans, H. Berghs, L. Drieskens, L. Kiebooms, and J. Polderman	440

Rapid cryoglobulin screening; an aid to the clinician	
A. E. Kalovidouris and R. L. Johnson	444
Isolated epiphyseal chondrocyte allografts into joint surfaces	
G. Bentley, A. U. Smith, and R. Mukerjhee	449
A family study of Behcet's syndrome	
M. A. Chamberlain	459
A prospective study of gout in New Zealand Maoris	
G. W. Brauer and I. A. M. Prior	466
Costovertebral and costotransverse joint involvement in rheumatoid arthritis	
M. J. Cohen, J. Ezekiel, and R. H. Persellin	473
Systemic lupus erythematosus, repeated abortions, and thrombocytopenia	
M. H. Pritchard, J. D. Jessop, P. M. Trenchard and J. A. Whittaker	476
Joint amyloid presenting as 'polymyalgic' rheumatoid arthritis	470
H. A. Bird	479
Heberden Society	481
Correspondence	492
No. 6. DECEMBER, 1978	
Gold and penicillamine: A proposed mode of action in rheumatoid arthritis,	
based on synovial fluid analysis	400
M. H. Pritchard and G. Nuki	493
HLA B27 and the genetics of ankylosing spondylitis	F04
J. C. Woodrow and C. J. Eastmond	504
Spondylodiscitis and ankylosing spondylitis: HLA typing and nosological	
implications	
V. Modena, N. Migone, V. Daneo, A. O. Carbonara, S. D. Vittorio,	510
and M. Viara Sacroiliitis and HLA. A clinical and genetical study	510
N. Migone, V. Modena, V. Daneo, A. O. Carbonara, and R. Ceppellini	513
Subclasses IgA ₁ and IgA ₂ in serum and synovial fluid in rheumatoid arthritis	313
and reactive synovitis of local origin	
Z. Hrncir, and M. Tichy	518
Middle ear function in rheumatoid arthritis	310
J. N. Rosenberg, D. A. Moffat, R. T. Ramsden, W. P. R. Gibson, and	
J. B. Booth	522
Lateral subluxation of the atlanto-axial joint in rheumatoid arthritis	-
H. C. Burry, J. M. Tweed, R. G. Robinson, and R. Howes	525
Radiological study of cervical spine and hand in patients with rheumatoid	
arthritis of 15 years duration: an assessment of the effects of cortico-	
steroid treatment	
J. J. Rasker and J. A. Cosh	529
Pulmonary involvement in systemic lupus erythematosus	
D. M. Grennan, A. D. Howie, F. Moran, and W. W. Buchanan	536
Arthroscopy in the diagnosis of chondromalacia patellae	
Ian J. Leslie and George Bentley	540
Mitochondrial oxidative activity in human rheumatoid synovial lining cells	
B. Henderson, L. Bitensky, and J. Chayen	548
The effect of zinc on alkaline phosphatase activity in rheumatoid synovial	
tissue	F=0
J. J. Johnstone, Lucille Bitensky, B. Cashman, and J. Chayen	552

Joint fluid cytology in Reiter's disease	
A. I. Spriggs, M. M. Boddington, and A. G. Mowat	557
Jaccoud's arthropathy	
F. L. Girgis, A. W. Popple, and F. E. Bruckner	561
Heberden Society	566
Correspondence	577
Book reviews	580
Notes	582
Index	583